

2010

St. Albans, Maine, Selected Ordinances

St. Albans (Me.)

Follow this and additional works at: <https://digitalcommons.library.umaine.edu/towndocs>

Repository Citation

St. Albans (Me.), "St. Albans, Maine, Selected Ordinances" (2010). *Maine Town Documents*. 1051.
<https://digitalcommons.library.umaine.edu/towndocs/1051>

This Plan is brought to you for free and open access by DigitalCommons@UMaine. It has been accepted for inclusion in Maine Town Documents by an authorized administrator of DigitalCommons@UMaine. For more information, please contact um.library.technical.services@maine.edu.

FLOODPLAIN MANAGEMENT ORDINANCE
FOR THE
TOWN OF SAINT ALBANS, MAINE

ENACTED:

March 8, 2008
Date

EFFECTIVE:

March 8, 2008
Date

CERTIFIED BY:

Stacey A. Desrosiers
Name

Town Clerk
Title

Affix Seal

60.3(b)

Printed 1/07/08

Prepared by SPO/fpm/bnn

FLOODPLAIN MANAGEMENT ORDINANCE

CONTENTS

ARTICLE	PAGE
I. PURPOSE AND ESTABLISHMENT.....	2
II. PERMIT REQUIRED	2
III. APPLICATION FOR PERMIT	2
IV. APPLICATION FEE AND EXPERT'S FEE.....	4
V. REVIEW STANDARDS FOR FLOOD HAZARD DEVELOPMENT PERMIT APPLICATIONS	4
VI. DEVELOPMENT STANDARDS	5
VII. CERTIFICATE OF COMPLIANCE	9
VIII. REVIEW OF SUBDIVISIONS AND DEVELOPMENT PROPOSALS.....	9
IX. APPEALS AND VARIANCES	10
X. ENFORCEMENT AND PENALTIES	12
XI. VALIDITY AND SEVERABILITY	12
XII. CONFLICT WITH OTHER ORDINANCES.....	12
XIII. DEFINITIONS.....	13
XIV. ABROGATION	17

ARTICLE I - PURPOSE AND ESTABLISHMENT

Certain areas of the Town of St. Albans, Maine are subject to periodic flooding, causing serious damages to properties within these areas. Relief is available in the form of flood insurance as authorized by the National Flood Insurance Act of 1968.

Therefore, the Town of St. Albans, Maine has chosen to become a participating community in the National Flood Insurance Program, and agrees to comply with the requirements of the National Flood Insurance Act of 1968 (P.L. 90-488, as amended) as delineated in this Floodplain Management Ordinance.

It is the intent of the Town of St. Albans, Maine to require the recognition and evaluation of flood hazards in all official actions relating to land use in the floodplain areas having special flood hazards.

The Town of St. Albans has the legal authority to adopt land use and control measures to reduce future flood losses pursuant to Title 30-A MRSA, Sections 3001-3007, 4352, 4401-4407, and Title 38 MRSA, Section 440.

The National Flood Insurance Program, established in the aforesaid Act, provides that areas of the Town of St. Albans having a special flood hazard be identified by the Federal Emergency Management Agency and that floodplain management measures be applied in such flood hazard areas. This Ordinance establishes a Flood Hazard Development Permit system and review procedure for development activities in the designated flood hazard areas of the Town of St. Albans, Maine.

The areas of special flood hazard, are identified by the Federal Emergency Management Agency in a map entitled "Flood Insurance Rate Map - Town of St. Albans, Maine, Somerset County," dated September 27, 1985, which is hereby adopted by reference and declared to be a part of this Ordinance.

ARTICLE II - PERMIT REQUIRED

Before any construction or other development (as defined in Article XIII), including the placement of manufactured homes, begins within any areas of special flood hazard established in Article I, a Flood Hazard Development Permit shall be obtained from the Code Enforcement Officer. This permit shall be in addition to any other permits which may be required pursuant to the codes and ordinances of the Town of St. Albans, Maine.

ARTICLE III - APPLICATION FOR PERMIT

The application for a Flood Hazard Development Permit shall be submitted to the Code Enforcement Officer and shall include:

- A. The name, address and phone number of the applicant, owner, and contractor;
- B. An address and a map indicating the location of the construction site;
- C. A site plan showing location of existing and/or proposed development, including but not limited to structures, sewage disposal facilities, water supply facilities, areas to be cut and filled, and lot dimensions;
- D. A statement of the intended use of the structure and/or development;

- E. A statement of the cost of the development including all materials and labor;
- F. A statement as to the type of sewage system proposed;
- G. Specification of dimensions of the proposed structure and/or development;

[Items H-K.2. apply only to new construction and substantial improvements.]

- H. The elevation in relation to the National Geodetic Vertical Datum (NGVD), or to a locally established datum, of the:
 - 1. base flood at the proposed site of all new or substantially improved structures, which in Zone A is determined:
 - a. from any base flood elevation data from federal, state, or other technical sources (such as FEMA's Quick-2 model, FEMA 265/July 1995), including information obtained pursuant to Article VI.J. and VIII.D.;
 - b. from the contour elevation extrapolated from a best fit analysis of the floodplain boundary when overlaid onto a USGS Quadrangle Map or other topographic map prepared by a Professional Land Surveyor or registered professional engineer, if the floodplain boundary has a significant correlation to the elevation contour line(s); or, in the absence of all other data,
 - c. to be the elevation of the ground at the intersection of the floodplain boundary and a line perpendicular to the shoreline which passes along the ground through the site of the proposed building.
- I. A description of an elevation reference point established on the site of all developments for which elevation standards apply as required in Article VI;
- J. A written certification by a Professional Land Surveyor, registered professional engineer or architect, that the base flood elevation and grade elevations shown on the application are accurate;
- K. The following certifications as required in Article VI by a registered professional engineer or architect:
 - 1. a Floodproofing Certificate (FEMA Form 81-65, 01/03, as amended), to verify that the floodproofing methods for any non-residential structures will meet the floodproofing criteria of Article III.H.4.; Article VI.G.; and other applicable standards in Article VI;
 - 2. a Hydraulic Openings Certificate to verify that engineered hydraulic openings in foundation walls will meet the standards of Article VI.K.2.a.;
 - 3. a certified statement that bridges will meet the standards of Article VI.L.;
 - 4. a certified statement that containment walls will meet the standards of Article VI.M.;
- L. A description of the extent to which any water course will be altered or relocated as a result of the proposed development; and,
- M. A statement of construction plans describing in detail how each applicable development standard in Article VI will be met.

ARTICLE IV - APPLICATION FEE AND EXPERT'S FEE

A non-refundable application fee of \$25.00 for all minor development and \$50.00 for all new construction or substantial improvements shall be paid to the Town Clerk and a copy of a receipt for the same shall accompany the application.

An additional fee may be charged if the Code Enforcement Officer and/or Board of Appeals needs the assistance of a professional engineer or other expert. The expert's fee shall be paid in full by the applicant within 10 days after the town submits a bill to the applicant. Failure to pay the bill shall constitute a violation of the ordinance and be grounds for the issuance of a stop work order. An expert shall not be hired by the municipality at the expense of an applicant until the applicant has either consented to such hiring in writing or been given an opportunity to be heard on the subject. An applicant who is dissatisfied with a decision to hire expert assistance may appeal that decision to the Board of Appeals.

ARTICLE V - REVIEW STANDARDS FOR FLOOD HAZARD DEVELOPMENT PERMIT APPLICATIONS

The Code Enforcement Officer shall:

- A. Review all applications for the Flood Hazard Development Permit to assure that proposed developments are reasonably safe from flooding and to determine that all pertinent requirements of Article VI (Development Standards) have been, or will be met;
- B. Utilize, in the review of all Flood Hazard Development Permit applications:
 1. the base flood data contained in the "Flood Insurance Rate Map - Town of St. Albans, Maine," as described in Article I;
 2. in special flood hazard areas where base flood elevation and floodway data are not provided, the Code Enforcement Officer shall obtain, review and reasonably utilize any base flood elevation and floodway data from federal, state, or other technical sources, including information obtained pursuant to Article III.H.1.; Article VI.J.; and Article VIII.D., in order to administer Article VI of this Ordinance; and,
 3. when the community establishes a base flood elevation in a Zone A by methods outlined in Article III.H.1., the community shall submit that data to the Maine Floodplain Management Program in the State Planning Office.
- C. Make interpretations of the location of boundaries of special flood hazard areas shown on the maps described in Article I of this Ordinance;
- D. In the review of Flood Hazard Development Permit applications, determine that all necessary permits have been obtained from those federal, state, and local government agencies from which prior approval is required by federal or state law, including but not limited to Section 404 of the Federal Water Pollution Control Act Amendments of 1972, 33 U.S.C. 1344;
- E. Notify adjacent municipalities, the Department of Environmental Protection, and the Maine Floodplain Management Program in the State Planning Office prior to any alteration or relocation of a water course and submit copies of such notifications to the Federal Emergency Management Agency;
- F. If the application satisfies the requirements of this Ordinance, approve the issuance of one of the following Flood Hazard Development Permits based on the type of development:

1. A two-part Flood Hazard Development Permit for elevated structures. Part I shall authorize the applicant to build a structure to and including the first horizontal floor only above the base flood level. At that time the applicant shall provide the Code Enforcement Officer with an Elevation Certificate completed by a Professional Land Surveyor, registered professional engineer or architect based on the Part I permit construction, "as built", for verifying compliance with the elevation requirements of Article VI, paragraphs F, G, or H. Following review of the Elevation Certificate data, which shall take place within 72 hours of receipt of the application, the Code Enforcement Officer shall issue Part II of the Flood Hazard Development Permit. Part II shall authorize the applicant to complete the construction project; or,
 2. A Flood Hazard Development Permit for Floodproofing of Non-Residential Structures that are new construction or substantially improved non-residential structures that are not being elevated but that meet the floodproofing standards of Article VI.G.1.,2., and 3. The application for this permit shall include a Floodproofing Certificate signed by a registered professional engineer or architect; or,
 3. A Flood Hazard Development Permit for Minor Development for all development that is not new construction or a substantial improvement, such as repairs, maintenance, renovations, or additions, whose value is less than 50% of the market value of the structure. Minor development also includes, but is not limited to: accessory structures as provided for in Article VI.I., mining, dredging, filling, grading, paving, excavation, drilling operations, storage of equipment or materials, deposition or extraction of materials, public or private sewage disposal systems or water supply facilities that do not involve structures; and non-structural projects such as bridges, dams, towers, fencing, pipelines, wharves and piers.
- G. Maintain, as a permanent record, copies of all Flood Hazard Development Permit Applications, corresponding Permits issued, and data relevant thereto, including reports of the Board of Appeals on variances granted under the provisions of Article IX of this Ordinance, and copies of Elevation Certificates, Floodproofing Certificates, Certificates of Compliance and certifications of design standards required under the provisions of Articles III, VI, and VII of this Ordinance.

ARTICLE VI - DEVELOPMENT STANDARDS

All developments in areas of special flood hazard shall meet the following applicable standards:

A. All Development - All development shall:

1. be designed or modified and adequately anchored to prevent flotation (excluding piers and docks), collapse or lateral movement of the development resulting from hydrodynamic and hydrostatic loads, including the effects of buoyancy;
2. use construction materials that are resistant to flood damage;
3. use construction methods and practices that will minimize flood damage; and,
4. use electrical, heating, ventilation, plumbing, and air conditioning equipment, and other service facilities that are designed and/or located so as to prevent water from entering or accumulating within the components during flooding conditions.

B. Water Supply - All new and replacement water supply systems shall be designed to minimize or eliminate infiltration of flood waters into the systems.

- C. **Sanitary Sewage Systems** - All new and replacement sanitary sewage systems shall be designed and located to minimize or eliminate infiltration of flood waters into the system and discharges from the system into flood waters.
- D. **On Site Waste Disposal Systems** - On site waste disposal systems shall be located and constructed to avoid impairment to them or contamination from them during floods.
- E. **Watercourse Carrying Capacity** - All development associated with altered or relocated portions of a watercourse shall be constructed and maintained in such a manner that no reduction occurs in the flood carrying capacity of the watercourse.
- F. **Residential** - New construction or substantial improvement of any residential structure located within Zone A shall have the lowest floor (including basement) elevated to at least one foot above the base flood elevation utilizing information obtained pursuant to Article III.H.1.; Article V.B; or Article VIII.D.
- G. **Non Residential** - New construction or substantial improvement of any non-residential structure located within Zone A shall have the lowest floor (including basement) elevated to at least one foot above the base flood elevation utilizing information obtained pursuant to Article III.H.1.; Article V.B; or Article VIII.D., or together with attendant utility and sanitary facilities shall:
1. be floodproofed to at least one foot above the base flood elevation utilizing information obtained pursuant to Article III.H.1.; Article V.B; or Article VIII.D., so that below that elevation the structure is watertight with walls substantially impermeable to the passage of water;
 2. have structural components capable of resisting hydrostatic and hydrodynamic loads and the effects of buoyancy; and,
 3. be certified by a registered professional engineer or architect that the floodproofing design and methods of construction are in accordance with accepted standards of practice for meeting the provisions of this section. Such certification shall be provided with the application for a Flood Hazard Development Permit, as required by Article III.K. and shall include a record of the elevation above mean sea level to which the structure is floodproofed.
- H. **Manufactured Homes** - New or substantially improved manufactured homes located within Zone A shall:
1. be elevated such that the lowest floor (including basement) of the manufactured home is at least one foot above the base flood elevation utilizing information obtained pursuant to Article III.H.1.; Article V.B; or Article VIII.D.;
 2. be on a permanent foundation, which may be poured masonry slab or foundation walls, with hydraulic openings, or may be reinforced piers or block supports, any of which support the manufactured home so that no weight is supported by its wheels and axles; and,
 3. be securely anchored to an adequately anchored foundation system to resist flotation, collapse, or lateral movement. Methods of anchoring may include, but are not limited to:
 - a. over-the-top ties anchored to the ground at the four corners of the manufactured home, plus two additional ties per side at intermediate points (manufactured homes less than 50 feet long require one additional tie per side); or by,

- b. frame ties at each corner of the home, plus five additional ties along each side at intermediate points (manufactured homes less than 50 feet long require four additional ties per side).
- c. all components of the anchoring system described in Article VI.H.3.a.& b. shall be capable of carrying a force of 4800 pounds.

I. Recreational Vehicles - Recreational Vehicles located within:

- 1. Zone A shall either:
 - a. be on the site for fewer than 180 consecutive days,
 - b. be fully licensed and ready for highway use. A recreational vehicle is ready for highway use if it is on its wheels or jacking system, is attached to the site only by quick disconnect type utilities and security devices, and has no permanently attached additions; or,
 - c. be permitted in accordance with the elevation and anchoring requirements for "manufactured homes" in Article VI.H.1.

J. Accessory Structures - Accessory Structures, as defined in Article XIII, located within Zone A, shall be exempt from the elevation criteria required in Article VI.F. & G. above, if all other requirements of Article VI and all the following requirements are met. Accessory Structures shall:

- 1. be 500 square feet or less and have a value less than \$3000;
- 2. have unfinished interiors and not be used for human habitation;
- 3. have hydraulic openings, as specified in Article VI.K.2., in at least two different walls of the accessory structure;
- 4. be located outside the floodway;
- 5. when possible be constructed and placed on the building site so as to offer the minimum resistance to the flow of floodwaters and be placed further from the source of flooding than is the primary structure; and,
- 6. have only ground fault interrupt electrical outlets. The electric service disconnect shall be located above the base flood elevation and when possible outside the Special Flood Hazard Area.

K. Floodways - Encroachments, including fill, new construction, substantial improvement, and other development shall not be permitted in a floodway which, in Zone A riverine areas, is the channel of the river or other water course and the adjacent land areas to a distance of one-half the width of the floodplain as measured from the normal high water mark to the upland limit of the floodplain, unless a technical evaluation certified by a registered professional engineer is provided demonstrating that the cumulative effect of the proposed development, when combined with all other existing development and anticipated development:

- 1. will not increase the water surface elevation of the base flood more than one foot at any point within the community; and,

2. is consistent with the technical criteria contained in Chapter 5 entitled "Hydraulic Analyses," *Flood Insurance Study - Guidelines and Specifications for Study Contractors*, (FEMA 37/ January 1995, as amended).

L. Enclosed Areas Below the Lowest Floor - New construction or substantial improvement of any structure in Zone A that meets the development standards of Article VI, including the elevation requirements of Article VI, paragraphs F, G, or H and is elevated on posts, columns, piers, piles, "stilts," or crawlspaces may be enclosed below the base flood elevation requirements provided all the following criteria are met or exceeded:

1. Enclosed areas are not "basements" as defined in Article XIII;
2. Enclosed areas shall be designed to automatically equalize hydrostatic flood forces on exterior walls by allowing for the entry and exit of flood water. Designs for meeting this requirement must either:
 - a. be engineered and certified by a registered professional engineer or architect; or,
 - b. meet or exceed the following minimum criteria:
 - (1) a minimum of two openings having a total net area of not less than one square inch for every square foot of the enclosed area;
 - (2) the bottom of all openings shall be below the base flood elevation and no higher than one foot above the lowest grade; and,
 - (3) openings may be equipped with screens, louvers, valves, or other coverings or devices provided that they permit the entry and exit of flood waters automatically without any external influence or control such as human intervention, including the use of electrical and other non-automatic mechanical means;
3. The enclosed area shall not be used for human habitation; and,
4. The enclosed areas are usable solely for building access, parking of vehicles, or storage.

M. Bridges - New construction or substantial improvement of any bridge in Zone A shall be designed such that:

1. when possible, the lowest horizontal member (excluding the pilings, or columns) is elevated to at least one foot above the base flood elevation utilizing information obtained pursuant to Article III.H.1.; Article V.B; or Article VIII.D.; and
2. a registered professional engineer shall certify that:
 - a. the structural design and methods of construction shall meet the elevation requirements of this section and the floodway standards of Article VI.J.; and
 - b. the foundation and superstructure attached thereto are designed to resist flotation, collapse and lateral movement due to the effects of wind and water loads acting simultaneously on all structural components. Water loading values used shall be those associated with the base flood.

- N. **Containment Walls** - New construction or substantial improvement of any containment wall located within Zone A shall:
1. have the containment wall elevated to at least one foot above the base flood elevation utilizing information obtained pursuant to Article III.H.1.; Article V.B.; or Article VIII.D.
 2. have structural components capable of resisting hydrostatic and hydrodynamic loads and the effects of buoyancy; and
 3. be certified by a registered professional engineer or architect that the design and methods of construction are in accordance with accepted standards of practice for meeting the provisions of this section. Such certification shall be provided with the application for a Flood Hazard Development Permit, as required by Article III.K.
- O. **Wharves, Piers and Docks** - New construction or substantial improvement of wharves, piers, and docks are permitted in Zone A in and over water and seaward of the mean high tide if the following requirements are met:
1. wharves, piers, and docks shall comply with all applicable local, state, and federal regulations; and
 2. for commercial wharves, piers, and docks, a registered professional engineer shall develop or review the structural design, specifications, and plans for the construction.

ARTICLE VII - CERTIFICATE OF COMPLIANCE

No land in a special flood hazard area shall be occupied or used and no structure which is constructed or substantially improved shall be occupied until a Certificate of Compliance is issued by the Code Enforcement Officer subject to the following provisions:

- A. For New Construction or Substantial Improvement of any elevated structure the applicant shall submit to the Code Enforcement Officer, an Elevation Certificate completed by a Professional Land Surveyor, registered professional engineer, or architect, for compliance with Article VI, paragraphs F, G, or H.
- B. The applicant shall submit written notification to the Code Enforcement Officer that the development is complete and complies with the provisions of this ordinance.
- C. Within 10 working days, the Code Enforcement Officer shall:
 1. review the Elevation Certificate and the applicant's written notification; and,
 2. upon determination that the development conforms with the provisions of this ordinance, shall issue a Certificate of Compliance.

ARTICLE VIII - REVIEW OF SUBDIVISION AND DEVELOPMENT PROPOSALS

The Planning Board shall, when reviewing subdivisions and other proposed developments that require review under other federal law, state law or local ordinances or regulations and all projects on 5 or more disturbed acres, or in the case of manufactured home parks divided into two or more lots, assure that:

- A. All such proposals are consistent with the need to minimize flood damage.

- B. All public utilities and facilities, such as sewer, gas, electrical and water systems are located and constructed to minimize or eliminate flood damages.
- C. Adequate drainage is provided so as to reduce exposure to flood hazards.
- D. All proposals include base flood elevations, flood boundaries, and, in a riverine floodplain, floodway data. These determinations shall be based on engineering practices recognized by the Federal Emergency Management Agency.
- E. Any proposed development plan must include a condition of plan approval requiring that structures on any lot in the development having any portion of its land within a Special Flood hazard Area, are to be constructed in accordance with Article VI of this ordinance. Such requirement will be included in any deed, lease, purchase and sale agreement, or document transferring or expressing an intent to transfer any interest in real estate or structure, including but not limited to a time-share interest. The condition shall clearly articulate that the municipality may enforce any violation of the construction requirement and that fact shall also be included in the deed or any other document previously described. The construction requirement shall also be clearly stated on any map, plat, or plan to be signed by the Planning Board or local reviewing authority as part of the approval process.

ARTICLE IX - APPEALS AND VARIANCES

The Board of Appeals of the Town of St. Albans may, upon written application of an aggrieved party, hear and decide appeals where it is alleged that there is an error in any order, requirement, decision, or determination made by, or failure to act by, the Code Enforcement Officer or Planning Board in the administration or enforcement of the provisions of this Ordinance.

The Board of Appeals may grant a variance from the requirements of this Ordinance consistent with state law and the following criteria:

- A. Variances shall not be granted within any designated regulatory floodway if any increase in flood levels during the base flood discharge would result.
- B. Variances shall be granted only upon:
 - 1. a showing of good and sufficient cause; and,
 - 2. a determination that should a flood comparable to the base flood occur, the granting of a variance will not result in increased flood heights, additional threats to public safety, public expense, or create nuisances, cause fraud or victimization of the public or conflict with existing local laws or ordinances; and,
 - 3. a showing that the issuance of the variance will not conflict with other state, federal or local laws or ordinances; and,
 - 4. a determination that failure to grant the variance would result in "undue hardship," which in this sub-section means:
 - a. that the land in question cannot yield a reasonable return unless a variance is granted; and,
 - b. that the need for a variance is due to the unique circumstances of the property and not to the general conditions in the neighborhood; and,
 - c. that the granting of a variance will not alter the essential character of the locality; and,
 - d. that the hardship is not the result of action taken by the applicant or a prior owner.

- C. Variances shall only be issued upon a determination that the variance is the minimum necessary, considering the flood hazard, to afford relief, and the Board of Appeals may impose such conditions to a variance as it deems necessary.
- D. Variances may be issued for new construction, substantial improvements, or other development for the conduct of a functionally dependent use provided that:
 - 1. other criteria of Article IX and Article VI.J. are met; and,
 - 2. the structure or other development is protected by methods that minimize flood damages during the base flood and create no additional threats to public safety.
- E. Variances may be issued for the repair, reconstruction, rehabilitation, or restoration of Historic Structures upon the determination that:
 - 1. the development meets the criteria of Article IX, paragraphs A. through D. above; and,
 - 2. the proposed repair, reconstruction, rehabilitation, or restoration will not preclude the structure's continued designation as a Historic Structure and the variance is the minimum necessary to preserve the historic character and design of the structure.
- F. Any applicant who meets the criteria of Article IX, paragraphs A. through E. shall be notified by the Board of Appeals in writing over the signature of the Chairman of the Board of Appeals that:
 - 1. the issuance of a variance to construct a structure below the base flood level will result in greatly increased premium rates for flood insurance up to amounts as high as \$25 per \$100 of insurance coverage;
 - 2. such construction below the base flood level increases risks to life and property; and,
 - 3. the applicant agrees in writing that the applicant is fully aware of all the risks inherent in the use of land subject to flooding, assumes those risks and agrees to indemnify and defend the municipality against any claims filed against it that are related to the applicant's decision to use land located in a floodplain and that the applicant individually releases the municipality from any claims the applicant may have against the municipality that are related to the use of land located in a floodplain.
- G. Appeal Procedure for Administrative and Variance Appeals
 - 1. An administrative or variance appeal may be taken to the Board of Appeals by an aggrieved party within thirty days after receipt of a written decision of the Code Enforcement Officer or Planning Board.
 - 2. Upon being notified of an appeal, the Code Enforcement Officer or Planning Board, as appropriate, shall transmit to the Board of Appeals all of the papers constituting the record of the decision appealed from.
 - 3. The Board of Appeals shall hold a public hearing on the appeal within thirty-five days of its receipt of an appeal request.
 - 4. The person filing the appeal shall have the burden of proof.
 - 5. The Board of Appeals shall decide all appeals within thirty-five days after the close of the hearing, and shall issue a written decision on all appeals.

6. The Board of Appeals shall submit to the Code Enforcement Officer a report of all variance actions, including justification for the granting of the variance and an authorization for the Code Enforcement Officer to issue a Flood Hazard Development Permit, which includes any conditions to be attached to said permit.
7. Any aggrieved party who participated as a party during the proceedings before the Board of Appeals may take an appeal to Superior Court in accordance with State laws within forty-five days from the date of any decision of the Board of Appeals.

ARTICLE X - ENFORCEMENT AND PENALTIES

- A. It shall be the duty of the Code Enforcement Officer to enforce the provisions of this Ordinance pursuant to Title 30-A MRSA § 4452.
- B. The penalties contained in Title 30-A MRSA § 4452 shall apply to any violation of this Ordinance.
- C. In addition to any other actions, the Code Enforcement Officer, upon determination that a violation exists, shall submit a declaration to the Administrator of the Federal Insurance Administration requesting a denial of flood insurance. The valid declaration shall consist of;
 1. the name of the property owner and address or legal description of the property sufficient to confirm its identity or location;
 2. a clear and unequivocal declaration that the property is in violation of a cited State or local law, regulation, or ordinance;
 3. a clear statement that the public body making the declaration has authority to do so and a citation to that authority;
 4. evidence that the property owner has been provided notice of the violation and the prospective denial of insurance; and,
 5. a clear statement that the declaration is being submitted pursuant to Section 1316 of the National Flood Insurance Act of 1968, as amended.

ARTICLE XI - VALIDITY AND SEVERABILITY

If any section or provision of this Ordinance is declared by the courts to be invalid, such decision shall not invalidate any other section or provision of this Ordinance.

ARTICLE XII - CONFLICT WITH OTHER ORDINANCES

This Ordinance shall not in any way impair or remove the necessity of compliance with any other applicable rule, ordinance, regulation, bylaw, permit, or provision of law. Where this Ordinance imposes a greater restriction upon the use of land, buildings, or structures, the provisions of this Ordinance shall control.

ARTICLE XIII - DEFINITIONS

Unless specifically defined below, words and phrases used in this Ordinance shall have the same meaning as they have at common law and to give this Ordinance its most reasonable application. Words used in the present tense include the future, the singular number includes the plural, and the plural number includes the singular. The word "may" is permissive; "shall" is mandatory and not discretionary.

Accessory Structure - means a small detached structure that is incidental and subordinate to the principal structure.

Adjacent Grade - means the natural elevation of the ground surface prior to construction next to the proposed walls of a structure.

Area of Special Flood Hazard - means the land in the floodplain having a one percent or greater chance of flooding in any given year, as specifically identified in the Flood Insurance Rate Map cited in Article I of this Ordinance.

Base Flood - means the flood having a one percent chance of being equaled or exceeded in any given year, commonly called the 100-year flood.

Basement - means any area of the building having its floor subgrade (below ground level) on all sides.

Building - see **Structure**.

Certificate of Compliance - A document signed by the Code Enforcement Officer stating that a structure is in compliance with all of the provisions of this Ordinance.

Code Enforcement Officer - A person certified under Title 30-A MRSA, Section 4451 (including exceptions in subsection 4451, paragraph 1) and employed by a municipality to enforce all applicable comprehensive planning and land use laws and ordinances.

Development - means any man made change to improved or unimproved real estate, including but not limited to buildings or other structures, mining, dredging, filling, grading, paving, excavation, drilling operations or storage of equipment or materials.

Elevated Building - means a non-basement building

- a. built, in the case of a building in Zone A, to have the top of the elevated floor, elevated above the ground level by means of pilings, columns, post, piers, or "stilts;" and
- b. adequately anchored so as not to impair the structural integrity of the building during a flood of up to one foot above the magnitude of the base flood.

In the case of Zone A, **Elevated Building** also includes a building elevated by means of fill or solid foundation perimeter walls with hydraulic openings sufficient to facilitate the unimpeded movement of flood waters, as required in Article VI.K..

Elevation Certificate - An official form (FEMA Form 81-31, 02/06, as amended) that:

- a. is used to verify compliance with the floodplain management regulations of the National Flood Insurance Program; and,
- b. is required for purchasing flood insurance.

Flood or Flooding - means:

- a. A general and temporary condition of partial or complete inundation of normally dry land areas from:
 1. The overflow of inland or tidal waters.
 2. The unusual and rapid accumulation or runoff of surface waters from any source.
- b. The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm, or by an unanticipated force of nature, such as flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event which results in flooding as defined in paragraph a.1. of this definition.

Flood Elevation Study - means an examination, evaluation and determination of flood hazards and, if appropriate, corresponding water surface elevations.

Flood Insurance Rate Map (FIRM) - means an official map of a community, on which the Federal Insurance Administrator has delineated both the special hazard areas and the risk premium zones applicable to the community.

Floodplain or Flood-prone Area - means any land area susceptible to being inundated by water from any source (see flooding).

Floodplain Management - means the operation of an overall program of corrective and preventive measures for reducing flood damage, including but not limited to emergency preparedness plans, flood control works, and floodplain management regulations.

Floodplain Management Regulations - means zoning ordinances, subdivision regulations, building codes, health regulations, special purpose ordinances (such as a floodplain ordinance, grading ordinance, and erosion control ordinance) and other applications of police power. The term describes such state or local regulations, in any combination thereof, which provide standards for the purpose of flood damage prevention and reduction.

Floodproofing - means any combination of structural and non-structural additions, changes, or adjustments to structures which reduce or eliminate flood damage to real estate or improved real property, water and sanitary facilities, structures and contents.

Floodway - see **Regulatory Floodway**.

Freeboard - means a factor of safety usually expressed in feet above a flood level for purposes of floodplain management. Freeboard tends to compensate for the many unknown factors, such as wave action, bridge openings, and the hydrological effect of urbanization of the watershed, that could contribute to flood heights greater than the height calculated for a selected size flood and floodway conditions.

Functionally Dependent Use - means a use which cannot perform its intended purpose unless it is located or carried out in close proximity to water. The term includes only docking facilities, port facilities that are necessary for the loading and unloading of cargo or passengers, and ship building and ship repair facilities, but does not include long-term storage or related manufacturing facilities.

Historic Structure - means any structure that is:

- a. Listed individually in the National Register of Historic Places (a listing maintained by the Department of Interior) or preliminarily determined by the Secretary of the Interior as meeting the requirements for individual listing on the National Register;
- b. Certified or preliminarily determined by the Secretary of the Interior as contributing to the historical significance of a registered historic district or a district preliminarily determined by the Secretary of the Interior to qualify as a registered historic district;
- c. Individually listed on a state inventory of historic places in states with historic preservation programs which have been approved by the Secretary of the Interior; or
- d. Individually listed on a local inventory of historic places in communities with historic preservation programs that have been certified either:
 1. By an approved state program as determined by the Secretary of the Interior, or
 2. Directly by the Secretary of the Interior in states without approved programs.

Locally Established Datum - means, for purposes of this ordinance, an elevation established for a specific site to which all other elevations at the site are referenced. This elevation is generally not referenced to the National Geodetic Vertical Datum (NGVD) or any other established datum and is used in areas where Mean Sea Level data is too far from a specific site to be practically used.

Lowest Floor - means the lowest floor of the lowest enclosed area (including basement). An unfinished or flood resistant enclosure, usable solely for parking of vehicles, building access or storage in an area other than a basement area is not considered a building's lowest floor, provided that such enclosure is not built so as to render the structure in violation of the applicable non-elevation design requirements described in Article VI.K. of this ordinance.

Manufactured Home - means a structure, transportable in one or more sections, which is built on a permanent chassis and is designed for use with or without a permanent foundation when connected to the required utilities. For floodplain management purposes the term manufactured home also includes park trailers, travel trailers, and other similar vehicles placed on a site for greater than 180 consecutive days.

Manufactured Home Park or Subdivision - means a parcel (or contiguous parcels) of land divided into two or more manufactured home lots for rent or sale.

Mean Sea Level - means, for purposes of the National Flood Insurance Program, the National Geodetic Vertical Datum (NGVD) of 1929, or other datum, to which base flood elevations shown on a community's Flood Insurance Rate Map are referenced.

Minor Development - means all development that is not new construction or a substantial improvement, such as repairs, maintenance, renovations, or additions, whose value is less than 50% of the market value of the structure. It also includes, but is not limited to: accessory structures as provided for in Article VI.L., mining, dredging, filling, grading, paving, excavation, drilling operations, storage of equipment or materials, deposition or extraction of materials, public or private sewage disposal systems or water supply facilities that do not involve structures; and non-structural projects such as bridges, dams, towers, fencing, pipelines, wharves and piers.

National Geodetic Vertical Datum (NGVD) - means the national vertical datum, whose standard was established in 1929, which is used by the National Flood Insurance Program (NFIP). NGVD was based upon mean sea level in 1929 and also has been called "1929 Mean Sea Level (MSL)".

New Construction - means structures for which the "start of construction" commenced on or after the effective date of the initial floodplain management regulations adopted by a community and includes any subsequent improvements to such structures.

100-year flood - see **Base Flood**.

Recreational Vehicle - means a vehicle which is:

- a. built on a single chassis;
- b. 400 square feet or less when measured at the largest horizontal projection, not including slideouts;
- c. designed to be self-propelled or permanently towable by a motor vehicle; and
- d. designed primarily not for use as a permanent dwelling but as temporary living quarters for recreational, camping, travel, or seasonal use.

Regulatory Floodway -

- a. means the channel of a river or other water course and the adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than one foot, and
- b. in Zone A riverine areas, the floodway is considered to be the channel of a river or other water course and the adjacent land areas to a distance of one-half the width of the floodplain, as measured from the normal high water mark to the upland limit of the floodplain.

Riverine - means relating to, formed by, or resembling a river (including tributaries), stream, brook, etc.

Special Flood Hazard Area - see **Area of Special Flood Hazard**.

Start of Construction - means the date the building permit was issued, provided the actual start of construction, repair, reconstruction, rehabilitation, addition, placement, substantial improvement or other improvement was within 180 days of the permit date. The actual start means either the first placement of permanent construction of a structure on a site, such as the pouring of slab or footings, the installation of piles, the construction of columns, or any work beyond the stage of excavation; or the placement of a manufactured home on a foundation. Permanent construction does not include land preparation, such as clearing, grading and filling; nor does it include the installation of streets and/or walkways; nor does it include excavation for basement, footings, piers, or foundations or the erection of temporary forms; nor does it include the installation on the property of accessory buildings, such as garages or sheds not occupied as dwelling units or not part of the main structure. For a substantial improvement, the actual start of construction means the first alteration of any wall, ceiling, floor, or other structural part of a building, or modification of any construction element, whether or not that alteration affects the external dimensions of the building.

Structure - means, for floodplain management purposes, a walled and roofed building. A gas or liquid storage tank that is principally above ground is also a structure.

Substantial Damage - means, damage of any origin sustained by a structure whereby the cost of restoring the structure to its before damage condition would equal or exceed 50 percent of the market value of the structure before the damage occurred.

Substantial Improvement - means any reconstruction, rehabilitation, addition, or other improvement of a structure, the cost of which equals or exceeds 50 percent of the market value of the structure before the

start of construction of the improvement. This term includes structures which have incurred substantial damage, regardless of the actual repair work performed. The term does not, however, include either:

- a. Any project for improvement of a structure to correct existing violations of state or local health, sanitary, or safety code specifications which have been identified by the local code enforcement official and which are the minimum necessary to assure safe living conditions; or
- b. Any alteration of a Historic Structure, provided that the alteration will not preclude the structure's continued designation as a historic structure, and a variance is obtained from the community's Board of Appeals.

Variance - means a grant of relief by a community from the terms of a floodplain management regulation.


Violation - means the failure of a structure or development to comply with a community's floodplain management regulations.

ARTICLE XIV - ABROGATION

This ordinance repeals and replaces any municipal ordinance previously enacted to comply with the National Flood Insurance Act of 1968 (P.L. 90-488, as amended).

60.3 (b) Rev. 4/05

TOWN OF ST. ALBANS SHORELAND ZONING ORDINANCE



Originally adopted: June 20, 1992
Current (Adopted) March 7, 2009
Amended: March 6, 2010

R. FLARK
1991

Shoreland Zoning Ordinance for the

Municipality of St. Albans, Maine

With 2010 amendments

Section 1. Purposes

The purposes of this Ordinance are to further the maintenance of safe and healthful conditions; to prevent and control water pollution; to protect fish spawning grounds, aquatic life, bird and other wildlife habitat; to protect buildings and lands from flooding and accelerated erosion; to protect archaeological and historic resources; to protect freshwater wetlands; to control building sites, placement of structures and land uses; to conserve shore cover, and visual as well as actual points of access to inland waters; to conserve natural beauty and open space; and to anticipate and respond to the impacts of development in shoreland areas.

Section 2. Authority

This Ordinance has been prepared in accordance with the provisions of Title 38 Sections 435-449 of the Maine Revised Statutes Annotated (M.R.S.A.).

Section 3. Applicability

This Ordinance applies to all land areas within 250 feet, horizontal distance, of the normal high-water line of any great pond, or river; within 250 feet, horizontal distance, of the upland edge of a freshwater wetland; and within 75 feet, horizontal distance, of the normal high-water line of a stream. This Ordinance also applies to any structure built on, over or abutting a dock, wharf or pier, or other structure extending beyond the normal high-water line of a water body or within a wetland.

Section 4. Effective Date

A. Effective Date of Ordinance and Ordinance Amendments. This Ordinance, which was adopted by the Town of St. Albans at Town Meeting on March 7, 2009, shall not be effective unless approved by the Commissioner of the Department of Environmental Protection. A certified copy of the Ordinance, or Ordinance Amendment, attested and signed by the Municipal Clerk, shall be forwarded to the Commissioner for approval. If the Commissioner fails to act on this Ordinance, or Ordinance Amendment within forty-five (45) days of his/her receipt of the Ordinance, or Ordinance Amendment it shall be automatically approved. Upon approval of this Ordinance, the shoreland zoning ordinance previously adopted on June 20, 1992 and amended on March 1, 1997 and March 5, 2005 is hereby repealed.

Any application for a permit submitted to the municipality within the forty-five (45) day period shall be governed by the terms of this Ordinance, or Ordinance Amendment, if the Ordinance, or Ordinance Amendment, is approved by the Commissioner.

B. Repeal of Municipal Timber Harvesting Regulation. The Municipal regulation of timber harvesting activities is repealed on the statutory date established under 38 M.R.S.A.

section 438-B(5), at which time the State on Maine Department of Conservation's Bureau of Forestry shall administer timber harvesting standards in the shoreland zone. On the date established under 38 M.R.S.A. section 438-B (5); the following provisions of this Ordinance are repealed:

Section 14. Table of Land Uses, Item 3 (Forest management activities except for timber harvesting) and Item 4 (Timber harvesting);

Section 15(O), Timber Harvesting, in its entirety; and

Section 17. Definitions, the definitions of "forest management activities", "skid trail", "slash" and "residual basal area".

Section 5. Availability

A certified copy of this Ordinance shall be filed with the Municipal Clerk and shall be accessible to any member of the public. Copies shall be made available to the public at reasonable cost at the expense of the person making the request. Notice of availability of this Ordinance shall be posted.

Section 6. Severability

Should any section or provision of this Ordinance be declared by the courts to be invalid, such decision shall not invalidate any other section or provision of the Ordinance.

Section 7. Conflicts with Other Ordinances

Whenever a provision of this Ordinance conflicts with or is inconsistent with another provision of this Ordinance or of any other ordinance, regulation or statute administered by the municipality, the more restrictive provision shall control.

Section 8. Amendments

This Ordinance may be amended by majority vote of the legislative body. Copies of amendments, attested and signed by the Municipal Clerk, shall be submitted to the Commissioner of the Department of Environmental Protection following adoption by the municipal legislative body and shall not be effective unless approved by the Commissioner. If the Commissioner fails to act on any amendment within forty-five (45) days of his/her receipt of the amendment, the amendment is automatically approved. Any application for a permit submitted to the municipality within the forty-five (45) day period shall be governed by the terms of the amendment, if such amendment is approved by the Commissioner.

Section 9. Districts and Zoning Map

A. Official Shoreland Zoning Map

The areas to which this Ordinance is applicable are hereby divided into the following districts as shown on the Official Shoreland Zoning Map(s) which is (are) made a part of this Ordinance:

1. Resource Protection
2. Limited Residential
3. Limited Commercial
4. General Development
5. Stream Protection

B. Scale of Map

The Official Shoreland Zoning Map shall be drawn at a scale of not less than: 1 inch = 2000 feet. District boundaries shall be clearly delineated and a legend indicating the symbols for each district shall be placed on the map.

C. Certification of Official Shoreland Zoning Map

The Official Shoreland Zoning Map shall be certified by the attested signature of the Municipal Clerk and shall be located in the Town Office.

D. Changes to the Official Shoreland Zoning Map

If amendments, in accordance with Section 8, are made in the district boundaries or other matters portrayed on the Official Shoreland Zoning Map, such changes shall be made on the Official Shoreland Zoning Map within thirty (30) days after the amendment has been approved by the Commissioner of the Department of Environmental Protection.

Section 10. Interpretation of District Boundaries

Unless otherwise set forth on the Official Shoreland Zoning Map, district boundary lines are property lines, the centerlines of streets, roads and rights of way, and the boundaries of the shoreland area as defined herein. Where uncertainty exists as to the exact location of district boundary lines, the Board of Appeals shall be the final authority as to location.

Section 11. Land Use Requirements

Except as hereinafter specified, no building, structure or land shall hereafter be used or occupied, and no building or structure or part thereof shall hereafter be erected, constructed, expanded, moved, or altered and no new lot shall be created except in conformity with all of the regulations herein specified for the district in which it is located, unless a variance is granted.

Section 12. Non-conformance

A. Purpose

It is the intent of this Ordinance to promote land use conformities, except that non-conforming conditions that existed before the effective date of this Ordinance or amendments thereto shall be allowed to continue, subject to the requirements set forth in section 12. Except as otherwise provided in this Ordinance, a non-conforming condition shall not be permitted to become more non-conforming.

B. General

1. Transfer of Ownership: Non-conforming structures, lots, and uses may be transferred, and the new owner may continue the non-conforming use or continue to use the non-conforming structure or lot, subject to the provisions of this Ordinance.
2. Repair and Maintenance: This Ordinance allows, without a permit, the normal upkeep and maintenance of non-conforming uses and structures including repairs or renovations that do not involve expansion of the non-conforming use or structure, and such other changes in a non-conforming use or structure as federal, state, or local building and safety codes may require.

NOTE: See Section 17 for the definitions of non-conforming structures, non-conforming uses and non-conforming lots.

C Non-conforming Structures

- 1) Expansions: A non-conforming structure may be added to or expanded after obtaining a permit from the same permitting authority as that for a new structure, if such addition or expansion does not increase the non-conformity of the structure and is in accordance with subparagraphs (a) and (b) below.
 - a) Legally existing non-conforming principal and accessory structures that do not meet the water body, tributary stream, or wetland setback requirements may be expanded or altered as follows, as long as all other applicable standards contained in this Ordinance are met.
 - i Expansion of any portion of a structure within 25 feet, horizontal distance, of the normal high-water line of a water body, tributary stream, or upland edge of a wetland is prohibited, even if the expansion will not increase nonconformity with the water body, tributary stream or wetland setback requirement.
 - ii Expansion of an accessory structure that is located closer to the normal high-water line of a water body, tributary stream, or upland edge of a wetland than the principal structure is prohibited, even if the expansion

will not increase nonconformity with the water body or wetland setback requirement.

- iii For structures located less than 75 feet, horizontal distance, from the normal high water line of a water body, tributary stream, or upland edge of a wetland, the maximum combined total floor area for all portions of those structures within that 75-foot distance is 1,000 square feet, and the maximum height of any portion of a structure that is within 75 feet, horizontal distance, of a water body, tributary stream or upland edge of a wetland is 20 feet or the height of the existing structure, whichever is greater.
- iv For structures located less than 100 feet, horizontal distance, from the normal high-water line of a great pond classified as GPA or a river flowing to a great pond classified as GPA, the maximum combined total floor area for all portions of those structures within that 100-foot distance is 1,500 square feet, and the maximum height of any portion of a structure that is within 100 feet, horizontal distance, of a great pond is 25 feet or the height of the existing structure, whichever is greater, except that any portion of those structures located less than 75 feet, horizontal distance from the normal high-water line of a water body, tributary stream, or the upland edge of a wetland must meet the floor area and height limits of division (iii).

For the purposes of Section 12(C) (1) (a), a basement is not counted toward floor area.

- (b) Whenever a new, enlarged, or replacement foundation is constructed under a non-conforming structure, the structure and new foundation must be placed such that the setback requirement is met to the greatest practical extent as determined by the Planning Board or its designee, basing its decision on the criteria specified in Section 12(C) (2) Relocation, below. If the completed foundation does not extend beyond the exterior dimensions of the structure, except for expansion in conformity with Section 12(C) (1) (a) above, and the foundation does not cause the structure to be elevated by more than three (3) additional feet, as measured from the uphill side of the structure (from original ground level to the bottom of the first floor sill), it shall not be considered to be an expansion of the structure.

- 2. Relocation: A non-conforming structure may be relocated within the boundaries of the parcel on which the structure is located provided that the site of relocation conforms to all setback requirements to the greatest practical extent as determined by the Planning Board or its designee, and provided that the applicant demonstrates that the present subsurface sewage disposal system meets the requirements of State law and the State of Maine Subsurface Wastewater Disposal Rules (Rules), or that a new

system can be installed in compliance with the law and said Rules. In no case shall a structure be relocated in a manner that causes the structure to be more non-conforming.

In determining whether the building relocation meets the setback to the greatest practical extent, the Planning Board or its designee shall consider the size of the lot, the slope of the land, the potential for soil erosion, the location of other structures on the property and on adjacent properties, the location of the septic system and other on-site soils suitable for septic systems, and the type and amount of vegetation to be removed to accomplish the relocation. When it is necessary to remove vegetation within the water or wetland setback area in order to relocate a structure, the Planning Board shall require replanting of native vegetation to compensate for the destroyed vegetation. In addition, the area from which the relocated structure was removed must be replanted with vegetation. Replanting shall be required as follows:

- (a) Trees removed in order to relocate a structure must be replanted with at least one native tree, three (3) feet in height, for every tree removed. If more than five trees are planted, no one species of tree shall make up more than 50% of the number of trees planted. Replaced trees must be planted no further from the water or wetland than the trees that were removed.

Other woody and herbaceous vegetation, and ground cover, that are removed or destroyed in order to relocate a structure must be re-established. An area at least the same size as the area where vegetation and/or ground cover was disturbed, damaged, or removed must be reestablished within the setback area. The vegetation and/or ground cover must consist of similar native and/or ground cover that was disturbed, destroyed or removed.

- (b) Where feasible, when a structure is relocated on a parcel the original location of the structure shall be replanted with vegetation which may consist of grasses, shrubs, trees, or a combination thereof.

3. Reconstruction or Replacement: Any non-conforming structure which is located less than the required setback from the normal high-water line of a water body, tributary stream, or upland edge of a wetland and which is removed, or damaged or destroyed, regardless of the cause, by more than 50% of the market value of the structure before such damage, destruction or removal, may be reconstructed or replaced provided that a permit is obtained within eighteen (18) months of the date of said damage, destruction, or removal, and provided that such reconstruction or replacement is in compliance with the water body, tributary stream, or wetland setback requirement to the greatest practical extent as determined by the Planning Board or its designee in accordance with the purposes of this Ordinance. In no case shall a structure be reconstructed or replaced so as to increase its non-conformity. If the reconstructed or replacement structure is less than the required setback it shall not be any larger than the original structure, except as allowed pursuant to Section 12(C)(1) above, as determined by the non-conforming floor area and volume of the reconstructed or replaced structure at its new location. If the total amount of floor area and volume of the original structure can be relocated or reconstructed beyond the required setback

area, no portion of the relocated or reconstructed structure shall be replaced or constructed at less than the setback requirement for a new structure. When it is necessary to remove vegetation in order to replace or reconstruct a structure, vegetation shall be replanted in accordance with Section 12(C) (2) above.

Any non-conforming structure which is located less than the required setback from a water body, tributary stream, or wetland and which is removed by 50% or less of the market value or damaged or destroyed by 50% or less of the market value of the structure, excluding normal maintenance and repair, may be reconstructed in place if a permit is obtained, from the code enforcement officer within one year of such damage, destruction, or removal.

In determining whether the building reconstruction or replacement meets the setback to the greatest practical extent the Planning Board or its designee shall consider, in addition to the criteria in Section (12)(C)(2) above, the physical condition and type of foundation present, if any.

4. Change of Use of a Non-conforming Structure

The use of a non-conforming structure may not be changed to another use unless the Planning Board, after receiving a written application, determines that the new use will have no greater adverse impact on the water body, tributary stream, or wetland, or on the subject or on the subject or adjacent properties and resources than the existing use.

In determining that no greater adverse impact will occur, the Planning Board shall require written documentation from the applicant, regarding the probable effects on public health and safety, erosion and sedimentation, water quality, fish and wildlife habitat, vegetative cover, visual and actual points of public access to waters, natural beauty, flood plain management, archaeological and historic resources, and functionally water-dependent uses.

D. Non-conforming Uses

1. Expansions: Expansions of non-conforming uses are prohibited; except that non-conforming residential uses may, after obtaining a permit from the Planning Board, be expanded within existing residential structures or within expansions of such structures as permitted in Section 12(C)(1)(a) above.
2. Resumption Prohibited: A lot, building or structure in or on which a non-conforming use is discontinued for a period exceeding one year, or which is superseded by a conforming use, may not again be devoted to a non-conforming use except that the Planning Board may, for good cause shown by the applicant, grant up to a one year extension to that time period. This provision shall not apply to the resumption of a use of a residential structure provided that the structure has been used or maintained for residential purposes during the preceding five (5) year period.
3. Change of Use: An existing non-conforming use may be changed to another non-conforming use provided that the proposed use has no greater adverse impact on the

subject and adjacent properties and resources than the former use, as determined by the Planning Board. The determination of no greater adverse impact shall be made according to criteria listed in Section 12 (C) (4) above.

E. Non-conforming Lots

1. Non-conforming Lots: A non-conforming lot of record as of the effective date of this Ordinance or amendment thereto may be built upon, without the need for a variance, provided that such lot is in separate ownership and not contiguous with any other lot in the same ownership, and that all provisions of this Ordinance except lot area, lot width and shore frontage can be met. Variances relating to setback or other requirements not involving lot area, lot width or shore frontage shall be obtained by action of the Board of Appeals.
2. Contiguous Built Lots: If two or more contiguous lots or parcels are in a single or joint ownership of record at the time of adoption of this Ordinance, if all or part of the lots do not meet the dimensional requirements of this Ordinance, and if a principal use or structure exists on each lot, the non-conforming lots may be conveyed separately or together, provided that the State Minimum Lot Size Law (12 M.R.S.A. sections 4807-A through 4807-D) and The State of Maine Subsurface Wastewater Disposal Rules are complied with.

If two or more principal uses or structures existed on a single lot of record on the effective date of this ordinance, each may be sold on a separate lot provided that the above referenced law and rules are complied with. When such lots are divided each lot thus created must be as conforming as possible to the dimensional requirements of this Ordinance.

3. Contiguous Lots - Vacant or Partially Built: If two or more contiguous lots or parcels are in single or joint ownership of record at the time of or since adoption or amendment of this Ordinance, if any of these lots do not individually meet the dimensional requirements of this Ordinance or subsequent amendments, and if one or more of the lots are vacant or contain no principal structure the lots shall be combined to the extent necessary to meet the dimensional requirements. This provision shall not apply to 2 or more contiguous lots, at least one of which is nonconforming, owned by the same person or persons on July 22, 1992, and recorded in the registry of deeds if the lot is served by a public sewer or can accommodate a subsurface sewage disposal system in conformance with the State of Maine Subsurface Wastewater Disposal Rules, and :
 - a. Each lot contains at least 100 feet of shore frontage and at least 20,000 square feet of lot area; or
 - b. Any lots that do not meet the frontage and lot size requirements of Section 12(E)(3)(a) are reconfigured or combined so that each new lot contains at least 100 feet of shore frontage and 20,000 square feet of lot area.

Section 13. Establishment of Districts

A. Resource Protection District

The Resource Protection District includes areas in which development would adversely affect water quality, productive habitat, biological ecosystems, or scenic and natural values. This district shall include the following areas when they occur within the limits of the shoreland zone, exclusive of the Stream Protection District, except that areas which are currently developed, and areas which meet the criteria for the Limited Commercial, or General Development I Districts need not be included within the Resource Protection District.

1. Areas within 250 feet, horizontal distance, of the upland edge of freshwater wetlands, and wetlands associated with great ponds and rivers, which are rated "moderate" or "high" value waterfowl and wading bird habitat, including nesting and feeding areas, by the Maine Department of Inland Fisheries and Wildlife (MDIF&W) that are depicted on a Geographic Information System (GIS) data layer maintained by either MDIF & W or the Department as of December 31, 2008. For the purposes of this paragraph "wetlands associated with great ponds and rivers" shall mean areas characterized by non-forested wetland vegetation and hydria soils that are contiguous with a great pond or river, and have a surface elevation at or below the water level of the great pond or river during the period of normal high water. "Wetlands associated with great ponds or rivers" are considered to be part of that great pond or river.
2. Floodplains along rivers and floodplains along artificially formed great ponds, along rivers defined by the 100 year floodplain as designated on the Federal Emergency Management Agency's (FEMA) Flood Insurance Rate Maps or Flood Hazard Boundary Maps, or the flood of record, or in the absence of these, by soil types identified as recent floodplain soils.
3. Areas of two or more contiguous acres with sustained slopes of 20% or greater.
4. Areas of two (2) or more contiguous acres supporting wetland vegetation and hydric soils, which are not part of a freshwater wetland as defined, and which are not surface connected to a water body during normal spring high water.
5. Land areas along rivers subject to severe bank erosion, undercutting, or river bed movement.

B. Limited Residential District

The Limited Residential District includes those areas suitable for residential and recreational development. It includes areas other than those in the Resource Protection District, or Stream Protection District, and areas which are used less intensively than those in the Limited Commercial District or the General Development Districts.

C. Limited Commercial District

The Limited Commercial District includes areas of mixed, light commercial and residential uses, exclusive of the Stream Protection District, which should not be developed as intensively as the General Development Districts. This district includes areas of two or more contiguous acres in size devoted to a mix of residential and low intensity business and commercial uses. Industrial uses are prohibited.

In areas adjacent to great ponds classified GPA and adjacent to rivers flowing to great ponds classified GPA, the designation of an area as a General Development District shall be based upon uses existing at the time of adaptation of this Ordinance. There shall be no newly established General Development Districts or expansions in area of existing General Development Districts adjacent to great ponds classified GPA, and adjacent to rivers that flow to great ponds classified GPA.

D. Stream Protection District

The Stream Protection District includes all land areas within seventy-five (75) feet, horizontal distance, of the normal high-water line of a stream, exclusive of those areas within two-hundred and fifty (250) feet, horizontal distance, of the normal high-water line of a great pond, river, or within two hundred and fifty (250) feet, horizontal distance, of the upland edge of a freshwater or coastal wetland. Where a stream and its associated shoreland area is located within two-hundred and fifty (250) feet, horizontal distance, of the above water bodies or wetlands, that land area shall be regulated under the terms of the shoreland district associated with that water body or wetland.

14. Table of Land Uses

All land use activities, as indicated in Table 1, Land Uses in the Shoreland Zone, shall conform to all of the applicable land use standards in Section 15. The district designation for a particular site shall be determined from the Official Shoreland Zoning Map.

Key to Table 1:

Yes - Allowed (no permit required but the use must comply with all applicable land use standards.)

No - Prohibited

PB - Allowed with permit issued by the Planning Board

CEO -- Allowed with permit issued by the Code Enforcement Officer

LPI -- Allowed with permit issued by the Local Plumbing Inspector

Abbreviations:

RP - Resource Protection	GD -- General Development
LR - Limited Residential	SP -- Stream Protection
LC - Limited Commercial	

TABLE 1. LAND USES IN THE SHORELAND ZONE

LAND USES	DISTRICTS				
	SP	RP	LR	LC	GD
1. Non-intensive recreational uses not requiring structures. Structures, such as hunting, fishing and hiking	yes	yes	yes	yes	yes
2. Motorized vehicular traffic on existing roads and trails	yes	yes	yes	yes	yes
3. Forest management activities except for timber harvesting	yes	yes	yes	yes	yes
4. Timber Harvesting	yes	CEO	yes	yes	yes
5. Clearing or removal of vegetation for activities other than timber Harvesting	CEO	CEO1	yes	yes	yes
6. Fire prevention activities	yes	yes	yes	yes	yes
7. Wildlife management activities	yes	yes	yes	yes	yes
8. Soil and water conservation practices	yes	yes	yes	yes	yes
9. Mineral exploration	no	yes2	yes2	yes2	yes2
10. Mineral extraction including sand and gravel extraction	no	PB3	PB	PB	PB
11. Surveying and resource analysis	yes	yes	yes	yes	yes
12. Emergency operations	yes	yes	yes	yes	yes
13. Agriculture	yes	PB	yes	yes	yes
14. Aquaculture	PB	PB	PB	yes	yes
15. Principal structures and uses and additions thereto					
A. One and two family residential	PB4	PB9	CEO	CEO	CEO
B. Multi-unit residential	no	no	PB	PB	PB
C. Commercial	no10	no10	no10	PB	PB
D. Industrial	no	no	no	no	PB
E. Governmental and Institutional	no	no	PB	PB	PB
F. Small non-residential facilities for educational Scientific or nature interpretation purposes	PB4 PB4	PB PB9	CEO CEO	CEO CEO	CEO yes
16. Structures accessory to allowed uses	PB4	PB9	CEO	CEO	yes
17. Piers, docks, wharfs, bridges, and other structures and uses extending over or below the normal high water line or within a wetland					
A. Temporary	CEO11	CEO11	CEO11	CEO11	CEO11
B. Permanent	PB	PB	PB	PB	PB
18. Conversions of seasonal residences to year round	LPI	LPI	LPI	LPI	LPI
19. Home Occupations	PB	PB	PB	CEO	yes
20. Private sewage disposal systems for allowed uses	LPI	LPI	LPI	LPI	LPI
21. Essential services					
A. Roadside distribution lines (34.5kV and lower)	CEO6	CEO6	yes12	yes12	yes12
B. Non-roadside or cross-country distribution lines involving 10 poles or less in the shoreland zone.	PB6	PB6	CEO	CEO	CEO
C. Non-roadside or cross-country distribution lines involving 11 poles or more in the shoreland zone.	PB6	PB6	PB	PB	PB
D. Other essential services	PB6	PB6	PB	PB	PB
22. Service drops, as defined, to allowed uses	yes	yes	yes	yes	yes
23. Public and private recreational areas involving minimal structural development	PB	PB	PB	CEO	CEO
24. Individual private campsites	CEO	CEO	CEO	CEO	CEO
25. Campgrounds	no	no7	PB	PB	PB
26. Road construction	PB	no8	PB	PB	PB
27. Parking facilities	no	no7	PB	PB	PB
28. Marinas	PB	no	PB	PB	PB

29. Filling and earthmoving of < 10 cubic yards in 12 mos.
30. Filling and earthmoving of > 10 cubic yards
31. Signs
32. Uses similar to allowed uses
33. Uses similar to uses requiring a CEO permit
34. Uses similar to uses requiring a PB permit

CEO	CEO	yes	yes	yes
PB	PB	CEO	CEO	CEO
yes	yes	yes	yes	yes
CEO	CEO	CEO	CEO	CEO
CEO	CEO	CEO	CEO	CEO
PB	PB	PB	PB	PB

NOTES TO TABLE OF LAND USES

- 1: In RP not allowed within 75 feet of the normal high-water line of great ponds, except to remove safety hazards.
- 2: Requires permit from the CEO if more than 100 sq. ft. of surface area, in total, is disturbed.
- 3: In RP not allowed in areas so designated because of wildlife value.
- 4: Provided that a variance from the setback requirement is obtained from the Board of Appeals.
- 5: Functionally water dependent uses and uses accessory to such uses only. (See note)
- 6: See further restrictions in Section 15(L)
- 7: Except when area is zoned for residential protection due to flood plain criteria, in which case a permit is required from the Planning Board.
- 8: Except as provided in section 15(H) (4).
- 9: Single family residential structures may be allowed by special exception only according to the provisions of Section 16(E), Special Exceptions. Two-family residential structures are prohibited
10. Except for commercial uses otherwise listed in this table, such as marinas and campgrounds, which are allowed in the respective district.
11. Excluding bridges and other crossings not involving earthwork, in which case no permit is required.
12. Permit not required but must file a written "notice of intent to construct" with CEO.

NOTE: A person performing any of the following activities shall require a permit from the DEP pursuant to Title 38 MRSA Section 480-C, if the activity occurs in, on, over or adjacent to any freshwater wetland, great pond, river, stream or brook and operates in such a manner that material or soil may be washed in to them:

- A: Dredging, bulldozing, removing or displacing soil, sand, vegetation or other materials;
- B: Draining or otherwise de-watering;
- C: Filling, including adding sand or other material to a sand dune; or
- D: Any construction or alteration of any permanent structure.

Section 15. Land Use Standards

All land use activities within the shoreland zone shall conform to the following provisions, if applicable.

A. Minimum Lot Standards

1.	Minimum Lot Area (sq. ft.)	Minimum Shore Frontage (ft.)
(a) Residential per dwelling unit	40,000	200
(b) Governmental, Institutional, Commercial, or Industrial per principal structure	60,000	300
(c) Public and Private Recreational Facilities	40,000	200

2. Land below the normal high-water line of a water body or upland edge of a wetland and land beneath roads serving more than two (2) lots shall not be included toward calculating minimum lot area.
3. Lots located on opposite sides of a public or private road shall be considered each a separate tract or parcel of land unless such road was established by the owner of land on both sides thereof after September 22, 1971.
4. The minimum width of any portion of any lot within one hundred (100) feet, horizontal distance, of the normal high-water line of a water body or upland edge of a wetland shall be equal to or greater than the shore frontage requirement for a lot with the proposed use.
5. If more than one residential dwelling unit, principal governmental, institutional, commercial or industrial structure or use, or combination thereof, is constructed or established on a single parcel, all dimensional requirements shall be met for each additional dwelling unit, principal structure or use.

B. *Principal and Accessory Structures*

1. All new principal and accessory structures shall be set back at least one hundred (100) feet, horizontal distance, from the normal high-water line of great ponds classified GPA and rivers that flow to great ponds classified GPA, and seventy-five (75) feet, horizontal distance, from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland, except that in the General Development I District the setback from the normal high-water line shall be at least twenty-five (25) feet, horizontal distance. In the Resource Protection District the setback requirement shall be 250 feet, horizontal distance, except for structures, roads, parking spaces or other regulated objects specifically allowed in that district in which case the setback requirements specified above shall apply.

In addition:

(a) The water body, tributary stream, or wetland setback provision shall neither apply to structures which require direct access to the water body or wetland as an operational necessity, such as piers, docks and retaining walls, nor to other functionally water-dependent uses.

(b) All principal structures along Significant River Segments as listed in 38 M.R.S.A. section 437 (see Appendix B), shall be set back a minimum of one hundred and twenty five (125) feet, horizontal distance, from the normal high-water line and shall be screened from the river by existing vegetation. This provision does not apply to structures related to hydropower facilities.

(c) On a non-conforming lot of record on which only a residential structure exists, and it is not possible to place an accessory structure, meeting the required water body, tributary stream or wetland setbacks, the code enforcement officer may issue a permit to place a single accessory structure, with no utilities, for the storage of yard tools and similar equipment. Such accessory structure shall not exceed eighty (80) square feet in area or eight (8) feet in height, and shall be located as far from the shoreline or tributary stream as practical and shall meet all other applicable standards, including lot coverage and

vegetation clearing limitations. In no case shall the structure be located closer to the shoreline or tributary stream than the principal structure.

2. Principal or accessory structures and expansions of existing structures which are permitted in the Resource Protection, Limited Residential, Limited Commercial, and Stream Protection Districts, shall not exceed thirty-five (35) feet in height. This provision shall not apply to structures such as transmission towers, windmills, antennas, and similar structures having no floor area.
3. The lowest floor elevation or openings of all buildings and structures, including basements shall be elevated at least one foot above the elevation of the 100 year flood, the flood of record, or in the absence of these, the flood as defined by soil types identified as recent flood-plain soils. In those municipalities that participate in the National Flood Insurance Program and have adopted the April 2005 version, or later version, of the Floodplain Management Ordinance, accessory structures may be placed in accordance with the standards of that ordinance and need not meet the elevation requirements of this paragraph.
4. The total footprint area of all structures, parking lots and other non-vegetated surfaces, within the shoreland zone shall not exceed twenty (20) percent of the lot or a portion thereof, located within the shoreland zone, including land area previously developed, except in the General Development District adjacent to rivers that do not flow to great ponds classified GPA, where lot coverage shall not exceed (70) percent.
5. Retaining walls that are not necessary for erosion control shall meet the structure setback requirement, except for low retaining walls and associated fill provided all of the following conditions are met:
 - (a) The site has been previously altered and an effective vegetated buffer does not exist;
 - (b) The wall(s) is(are) at least 25 feet, horizontal distance, from the normal high-water line of a water body, tributary stream, or upland edge of a wetland;
 - (c) The site where the retaining wall will be constructed is legally existing lawn or is a site eroding from lack of naturally occurring vegetation, and which cannot be stabilized with vegetative plantings;
 - (d) The total height of the wall(s), in the aggregate, are no more than 24 inches;
 - (e) Retaining walls are located outside of the 100-year floodplain on rivers, streams, and tributary streams, as designated on the Federal Emergency Management Agency's (FEMA) Flood Insurance Rate Maps or Flood Hazard Boundary Maps, or the flood of record, or in the absence of these, by soil types identified as recent flood plain soils.
 - (f) The area behind the wall is revegetated with grass, shrubs, trees, or a combination thereof, and no further structural development will occur within the setback area, including patios and decks; and
 - (g) A vegetated buffer area is established within 25 feet, horizontal distance, of the normal high-water line of a water body, tributary stream, or upland edge of a wetland when a natural buffer area does not exist. The buffer area must meet the following characteristics:

- (i) The buffer must include shrubs and other woody and herbaceous vegetation. Where natural ground cover is lacking the area must be supplemented with leaf or bark mulch;
 - (ii) Vegetation plantings must be in quantities sufficient to retard erosion and provide for effective infiltration of storm water runoff;
 - (iii) Only native species may be used to establish the buffer area;
 - (iv) A minimum buffer width of 15 feet, horizontal distance, is required, measured perpendicularly to the normal high-water line or upland edge of a wetland;
 - (v) A footpath not to exceed the standards in Section 15(P)(2)(a), may traverse the buffer;
6. Notwithstanding the requirements stated above, stairways or similar structures may be allowed with a permit from the Code Enforcement Officer, to provide shoreline access in areas of steep slopes or unstable soils provided; that the structure is limited to a maximum of four (4) feet in width; that the structure does not extend below or over the normal high-water line of a water body or upland edge of a wetland, (unless permitted by the Department of Environmental Protection pursuant to the Natural Resources Protection Act, 38 M.R.S.A. Section 480-C); and that the applicant demonstrates that no reasonable access alternative exists on the property.

C. Piers, Docks, Wharfs, Bridges and Other Structures and Uses Extending Over or Below the Normal High-Water Line of a Water Body or Within a Wetland.

1. Access from shore shall be developed on soils appropriate for such use and constructed so as to control erosion.
2. The location shall not interfere with existing developed or natural beach areas.
3. The facility shall be located so as to minimize adverse effects on fisheries.
4. The facility shall be no larger in dimension than necessary to carry on the activity and be consistent with the surrounding character and uses of the area. A temporary pier, dock or wharf shall not be wider than six feet for non-commercial uses.
5. No new structure shall be built on, over or abutting a pier, wharf, dock or other structure extending beyond the normal high-water line of a water body or within a wetland unless the structure requires direct access to the water body or wetland as an operational necessity.
6. New permanent piers and docks shall not be permitted unless it is clearly demonstrated to the Planning Board that a temporary pier or dock is not feasible, and a permit has been obtained from the Department of Environmental Protection, pursuant to the Natural Resource Protection Act.
7. No existing structures built on, over or abutting a pier, wharf, dock or other structure extending beyond the normal high-water line of a water body or within a wetland shall be converted to residential dwelling units in any district.
8. Except in the General Development Districts, structures built on, over or abutting a pier, wharf, dock or other structure extending beyond the normal high-water line of a water body or within a wetland shall not exceed twenty (20) feet in height above the pier, wharf, dock or other structure.

NOTE: New permanent structures, and expansions thereof, projecting into or over water bodies shall require a permit from the Department of Environmental Protection pursuant to the Natural Resources Protection Act, Title 38 M.R.S.A., Section 480-C. Permits may also be required from the Army Corps of Engineers if located in navigable waters.

D. Campgrounds. Campgrounds shall conform to the minimum requirements imposed under State licensing procedures and the following:

1. Campgrounds shall contain a minimum of five thousand (5,000) square feet of land, not including roads and driveways, for each site. Land supporting wetland vegetation, and land below the normal high-water line of a water body shall not be included in calculating land area per site.
2. The areas intended for placement of a recreational vehicle, tent or shelter, and utility and service buildings shall be set back a minimum of one hundred (100) feet from the normal high-water line of a great pond classified GPA or a river flowing to a great pond classified GPA, and seventy-five (75) feet from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland.

E. Individual Private Campsites

Individual, private campsites not associated with campgrounds are allowed provided the following conditions are met:

1. One campsite per lot existing on the effective date of this Ordinance, or thirty thousand (30,000) square feet of lot area within the shoreland zone, whichever is less, may be permitted.
2. Campsite placement on any lot, including the area intended for a recreational vehicle or tent platform, shall be set back one hundred (100) feet, horizontal distance, from the normal high-water line of a great pond classified GPA or river flowing to a great pond classified GPA, and seventy-five (75) feet, horizontal distance, from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland.
3. Only one recreational vehicle shall be allowed on a campsite. The recreational vehicle shall not be located on any type of permanent foundation except for a gravel pad, and no structure except a canopy shall be attached to the recreational vehicle.
4. The clearing of vegetation for the citing of the recreational vehicle, tent or similar shelter in a Resource Protection District shall be limited to one thousand (1000) square feet.
5. A written sewage disposal plan describing the proposed method and location of sewage disposal shall be required for each campsite and shall be approved by the Local Plumbing Inspector. Where disposal is off-site, written authorization from the receiving facility or land owner is required.
6. When a recreational vehicle, tent or similar shelter is placed on-site for more than one hundred and twenty (120) days per year, all requirements for residential structures shall be met, including the installation of a subsurface sewage disposal system in compliance with the State of Maine Subsurface Wastewater Disposal Rules unless served by public sewage facilities.

F. Commercial and Industrial Uses

The following new commercial and industrial uses are prohibited within the shoreland zone adjacent to great ponds classified GPA , and rivers and streams which flow to great ponds classified GPA:

1. Auto washing facilities
2. Auto or other vehicle service and/or repair operations, including body shops
3. Chemical and bacteriological laboratories
4. Storage of chemicals, including herbicides, pesticides or fertilizers other than amounts normally associated with individual households or farms
5. Commercial painting, wood preserving, and furniture stripping
6. Dry cleaning establishments
7. Electronic circuit assembly
8. Laundromats, unless connected to a sanitary sewer
9. Metal plating, finishing, or polishing
10. Petroleum or petroleum product storage and/or sale except storage on same property as use occurs and except for storage and sales associated with marinas
11. Photographic processing
12. Printing

G. Parking Areas

1. Parking areas shall meet the shoreline and tributary stream setback requirements for structures for the district in which such areas are located. The setback requirement for parking areas serving public boat launching facilities in districts other than the General Development I District shall be no less than fifty (50) feet, horizontal distance, from the shoreline or tributary stream if the Planning Board finds that no other reasonable alternative exists further from the shoreline or tributary stream.
2. Parking areas shall be adequately sized for the proposed use and shall be designed to prevent storm water runoff from flowing directly into a water body, tributary stream or wetland and where feasible, to retain all runoff on-site.
3. In determining the appropriate size of proposed parking facilities, the following shall apply:
 - a. Typical parking space: Approximately ten (10) feet wide and twenty (20) feet long, except that parking spaces for a vehicle and boat trailer shall be forty (40) feet long.
 - b. Internal travel aisles: Approximately twenty (20) feet wide.

H. Roads and Driveways

The following standards shall apply to the construction of roads and/or driveways and drainage systems, culverts and other related features.

1. Roads and driveways shall be set back at least one-hundred (100) feet, horizontal distance, from the normal high-water line of a great pond classified GPA or a river that flows to a great pond classified GPA, and seventy-five (75) feet, horizontal distance, from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland unless no reasonable alternative exists as determined by the Planning Board. If no other reasonable alternative exists, the road and/or driveway setback requirement shall be no less than fifty (50) feet, horizontal distance, upon clear showing by the applicant that appropriate techniques will be used to prevent sedimentation of the water body, tributary stream, or wetland. Such techniques may include, but are not limited to, the installation of settling basins, and/or the effective use of additional ditch relief culverts and turnouts placed so as to avoid sedimentation of the water body, tributary stream, or wetland.

On slopes of greater than twenty (20) percent the road and/or driveway setback shall be increased by ten (10) feet, horizontal distance, for each five (5) percent increase in slope above twenty (20) percent.

Section 15 (H)(1) does not apply to approaches to water crossings or to roads or driveways that provide access to permitted structures, and facilities located nearer to the shoreline or tributary stream due to an operational necessity, excluding temporary docks for recreational uses. Roads and driveways providing access to permitted structures within the setback area shall comply fully with the requirements of Section 15 (H) (1) except for that portion of the road or driveway necessary for direct access with the structure.

2. Existing public roads may be expanded within the legal road right-of-way regardless of its setback from a water body, tributary stream or wetland.
3. New permanent roads are not allowed within the shoreland zone along Significant River Segments except:
 - (a) To provide access to structures or facilities within the zone; or
 - (b) When the applicant demonstrates that no reasonable alternative route exists outside the shoreland zone. When roads must be located within the shoreland zone they shall be set back as far as practicable from the normal high-water line and screened from the river by existing vegetation.
4. New roads and driveways are prohibited in a Resource Protection District except that the Planning Board may grant a permit to construct a road or driveway to provide access to permitted uses within the district. A road or driveway may also be approved by the Planning Board in a Resource Protection District, upon a finding that no reasonable alternative route or location is available outside the district. When a road or driveway is permitted in a Resource Protection District the road and/or driveway shall be set back as far as practicable from the normal high-water line of a water body, tributary stream, or upland edge of a wetland.
5. Road and driveway banks shall be no steeper than a slope of two (2) horizontal to one (1) vertical, and shall be graded and stabilized in accordance with the provisions for erosion and sedimentation control contained in subsection 15 (Q).

6. Road and driveway grades shall be no greater than ten (10) percent except for segments of less than two hundred (200) feet.
7. In order to prevent road and driveway surface drainage from directly entering water bodies, tributary streams or wetlands, roads and driveways shall be designed, constructed, and maintained to empty onto an unscarified buffer strip at least (50) feet plus two times the average slope, in width between the outflow point of the ditch or culvert and the normal high-water line of a water body, tributary stream, or upland edge of a wetland. Surface drainage which is directed to an unscarified buffer strip shall be diffused or spread out to promote infiltration of the runoff and to minimize channelized flow of the drainage through the buffer strip.
8. Ditch relief (cross drainage) culverts, drainage dips and water turnouts shall be installed in a manner effective in directing drainage onto unscarified buffer strips before the flow gains sufficient volume or head to erode the road, driveway, or ditch. To accomplish this, the following shall apply:
 - a. Ditch relief culverts, drainage dips and associated water turnouts shall be spaced along the road or driveway at intervals no greater than indicated in the following table:

<u>Roads Grade</u> <u>(Percent)</u>	<u>Spacing</u> <u>(Feet)</u>
0-2	250
3-5	200-135
6-10	100-80
11-15	80-60
16-20	60-45
21+	40

- b. Drainage dips may be used in place of ditch relief culverts only where the grade is ten (10) percent or less.
 - c. On sections having slopes greater than ten (10) percent, ditch relief culverts shall be placed at approximately a thirty (30) degree angle down slope from a line perpendicular to the centerline of the road or driveway.
 - d. Ditch relief culverts shall be sufficiently sized and properly installed in order to allow for effective functioning and their inlet and outlet ends shall be stabilized with appropriate materials.
9. Ditches, culverts, bridges, dips, water turnouts and other storm water runoff control installations associated with roads and driveways shall be maintained on a regular basis to assure effective functioning.

I. Signs. The following provisions shall govern the use of signs in the Resource Protection, Stream Protection, Limited Residential and Limited Commercial Districts:

1. Signs relating to goods and services sold on the premises shall be allowed, provided that such signs shall not exceed six (6) square feet in area and shall not exceed two (2) signs per premises. In the Limited Commercial District, however, such signs shall not exceed

- sixteen (16) square feet in area. Signs relating to goods or services not sold or rendered on the premises shall be prohibited.
2. Name signs are allowed, provided such signs shall not exceed two (2) signs per premises, and shall not exceed twelve (12) square feet in the aggregate.
 3. Residential users may display a single sign not over three (3) square feet in area relating to the sale, rental, or lease of the premises.
 4. Signs relating to trespassing and hunting shall be allowed without restriction as to number provided that no such sign shall exceed two (2) square feet in area.
 5. Signs relating to public safety shall be allowed without restriction.
 6. No sign shall extend higher than twenty (20) feet above the ground.
 7. Signs may be illuminated only by shielded, non-flashing lights.

J. Storm Water Runoff

1. All new construction and development shall be designed to minimize storm water runoff from the site in excess of the natural predevelopment conditions. Where possible, existing natural runoff control features, such as berms, swales, terraces and wooded areas shall be retained in order to reduce runoff and encourage infiltration of storm waters.
2. Storm water runoff control systems shall be maintained as necessary to ensure proper functioning.

K. Septic Waste Disposal

- (1) All subsurface sewage disposal systems shall be installed in conformance with the State of Maine Subsurface Wastewater Disposal Rules, and the following:
 - (a) clearing or removal of woody vegetation necessary to site a new system and any associated fill extensions, shall not extend closer than seventy-five (75) feet, horizontal distance, from the normal high-water line of a water body or the upland edge of a wetland and
 - (b) A holding tank is not allowed for a first-time residential use in the shoreland zone.

L. Essential Services

1. Where feasible, the installation of essential services shall be limited to existing public ways and existing service corridors.
2. The installation of essential services, other than roadside distribution lines, is not allowed in a Resource Protection or Stream Protection District, except to provide services to a permitted use within said district, or except where the applicant demonstrates that no reasonable alternative exists. Where allowed, such structures and facilities shall be located so as to minimize any adverse impacts on surrounding uses and resources, including visual impacts.

M. Mineral Exploration and Extraction

Mineral exploration to determine the nature or extent of mineral resources shall be accomplished by hand sampling, test boring, or other methods which create minimal disturbance of less than one hundred (100) square feet of ground surface. A permit from the Code Enforcement Officer shall be required for mineral exploration which exceeds the above limitation. All excavations, including test pits and holes shall be immediately capped, filled or secured by other equally effective measures to restore disturbed areas and to protect the public health and safety.

Mineral extraction may be permitted under the following conditions:

1. A reclamation plan shall be filed with, and approved by the Planning Board before a permit is granted. Such plan shall describe in detail procedures to be undertaken to fulfill the requirements of Section (15) (M) (4) below.
2. No part of any extraction operation, including drainage and runoff control features shall be permitted within one hundred (100) feet, horizontal distance, of the normal high-water line of a great pond classified GPA or a river flowing to a great pond classified GPA, and within seventy-five (75) feet, horizontal distance, of the normal high-water line of any other water body, tributary stream, or the upland edge of a wetland. Extraction operations shall not be permitted within fifty (50) feet, horizontal distance, of any property line, without written permission of the owner of such adjacent property.
3. Developers of new gravel pits along Significant River Segments shall demonstrate that no reasonable mining site outside the shoreland zone exists. When gravel pits must be located within the zone, they shall be set back as far as practicable from the river by exiting vegetation.
4. Within twelve (12) months following the completion of extraction operations at any extraction site, which operations shall be deemed complete when less than one hundred (100) cubic yards of materials are removed in any consecutive twelve (12) month period, ground levels and grades shall be established in accordance with the following:
 - a. All debris, stumps, and similar material shall be removed for disposal in an approved location, or shall be buried on-site. Only materials generated on-site may be buried or covered on-site.

NOTE: The State of Maine Solid Waste Laws, Title 38, M.R.S.A., Section 1310 and the solid waste management rules, Chapters 400-419 of the Department of Environmental Protection's regulations may contain other applicable provisions regarding disposal of such materials.

- b. The final graded slope shall be two and one-half to one (2 ½:1) slope or flatter.
- c. Top soil or loam shall be retained to cover all disturbed land areas, which shall be reseeded and stabilized with vegetation native to the area. Additional topsoil or loam shall be obtained from off-site sources if necessary to complete the stabilization project.

5. In keeping with the purposes of this Ordinance, the Planning Board may impose such conditions as are necessary to minimize the adverse impacts associated with mineral extraction operations on surrounding uses and resources.

N. Agriculture

1. All spreading of manure shall be accomplished in conformance with the *Manure Utilization Guidelines* published by the Maine Department of Agriculture on November 1, 2001, and the Nutrient Management Law (7 M.R.S.A. sections 4201-4209).
2. Manure shall not be stored or stockpiled within one hundred (100) feet, horizontal distance, of a great pond classified GPA or a river flowing to a great pond, classified GPA, or within seventy-five (75) feet horizontal distance, of other water bodies, tributary streams, or wetlands. All manure storage areas within the shoreland zone must be constructed or modified such that the facility produces no discharge of effluent or contaminated storm water.
3. Agricultural activities involving tillage of soil greater than forty thousand (40,000) square feet in surface area, within the shoreland zone shall require a Conservation Plan to be filed with the Planning Board. Non-conformance with the provisions of said plan shall be considered to be a violation of this Ordinance.

NOTE: Assistance in preparing a conservation plan may be available through the local Soil and Water Conservation District office.

4. There shall be no new tilling of soil within one-hundred (100) feet, horizontal distance, of the normal high-water line of a great pond classified GPA; within seventy-five (75) feet, horizontal distance, from other water bodies; nor within twenty-five (25) feet, horizontal distance, of tributary streams, and freshwater wetlands. Operations in existence on the effective date of this ordinance and not in conformance with this provision may be maintained.
5. Newly established livestock grazing areas shall not be permitted within one hundred (100) feet, horizontal distance, of the normal high-water line of a great pond classified GPA; within seventy-five (75) feet, horizontal distance of other water bodies, nor; within twenty-five (25) feet, horizontal distance, of tributary streams, and freshwater wetlands. Livestock grazing associated with ongoing farm activities, and which are not in conformance with the above setback provisions may continue, provided that such grazing is conducted in accordance with a Conservation Plan.

Repeal of Timber Harvesting

The municipality chooses to have the statewide standards apply to timber harvesting and timber harvesting activities in Saint Albans by authorizing the repeal of all provisions within the municipal shoreland zoning ordinance that regulate timber harvesting and timber harvesting activities in shoreland areas and notify the Director of the Bureau of forestry within the Department of Conservation of the repeal.

The event that triggers the effective date of the "statewide standards" has been legislatively established as the first day of January of the 2nd year following the year in which the Commissioner of Conservation determines that at least 252 of the 336 municipalities identified by the Commissioner of Conservation as the municipalities with the highest acreage of timber harvesting activity on an annual basis for the period 1999-2003 have either accepted the statewide standards or have adopted an ordinance identical to the statewide standards.

Section O, Timber Harvesting, is herewith repealed on that date.

O. Timber Harvesting - CEO Permit Required-See Table I Section 14.

1. Within the strip of land extending 75 feet inland, horizontal distance from the normal high-water line in a shoreland area zoned for resource protection abutting a great pond there shall be no timber harvesting, except to remove safety hazards.
2. Except in areas as described in Paragraph 1 above, timber harvesting shall conform with the following provisions :
 - a. Selective cutting of no more than forty (40) percent of the total volume of trees four (4) inches or more in diameter measured at 4 ½ feet above ground level on any lot in any ten (10) year period is permitted. In addition:
 - i. Within one-hundred (100) feet, horizontal distance of the normal high-water line of a great pond classified GPA or a river flowing to a great pond classified GPA, and within seventy-five (75) feet, horizontal distance, of the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland, there shall be no clear-cut openings and a well-distributed stand of trees and other vegetation, including existing ground cover, shall be maintained.
 - ii. At distances greater than one-hundred (100) feet, horizontal distance, of a great pond classified GPA or a river flowing to a great pond classified GPA, and greater than seventy-five (75) feet, horizontal distance, of the normal high-water line of other water bodies or the upland edge of a wetland, harvesting operations shall not create single clear-cut openings greater than ten-thousand (10,000) square feet in the forest canopy. Where such openings exceed five-thousand (5000) square feet they shall be at least one hundred (100) feet apart. Such clear-cut openings shall be included in the calculation of total volume removal. For the purposes of these standards volume may be considered to be equivalent to basal area.
 - b. Timber harvesting operations exceeding the 40 percent limitation in paragraph a. above may be allowed by the Planning Board upon a clear showing, including a forest management plan by a Maine licensed professional forester, that such an exception is necessary for good forest management and will be carried out in accordance with the purposes of this Ordinance. The Planning Board shall notify the Commissioner of the Department Of Environmental Protection of each exception allowed, within fourteen (14) days of the Planning Board's decision.

- c. No accumulation of slash shall be left within fifty (50) feet, horizontal distance, of the normal high-water line of a water body. In all other areas slash shall either be removed or disposed of in such a manner that it lies on the ground and no part thereof extends more than four (4) feet above the ground. Any debris that falls below the normal high-water line of a water body or tributary stream shall be removed.
- d. Timber harvesting equipment shall not use stream channels as travel routes except when:
 - i. Surface waters are frozen; and
 - ii. The activity will not result in any ground disturbance.
- e. All crossings of flowing water shall require a bridge or culvert, except in areas with low banks and channel beds which are composed of gravel, rock or similar hard surface which would not be eroded or otherwise damaged.
- f. Skid trail approaches to water crossings shall be located and designed so as to prevent water runoff from directly entering the water body or tributary stream. Upon completion of timber harvesting, temporary bridges and culverts shall be removed and areas of exposed soil revegetated.
- g. Except for water crossings, skid trails and other sites where the operation of machinery used in timber harvesting results in the exposure of mineral soil shall be located such that an unscarified strip of vegetation of at least seventy-five (75) feet in width for slopes up to ten (10) percent shall be retained between the exposed mineral soil and the normal high-water line of a water body or upland edge of a wetland. For each ten (10) percent increase in slope, the unscarified strip shall be increased by twenty (20) feet. The provisions of this paragraph apply only to a face sloping toward the water body or wetland, provided, however, that no portion of such exposed mineral soil on a back face shall be closer than twenty five (25) feet from the normal high-water line of a water body or upland edge of a wetland.

P. Clearing or Removal of Vegetation for Activities Other Than Timber Harvesting

- 1. In a Resource Protection District abutting a great pond, there shall be no cutting of vegetation within the strip of land extending 75 feet, horizontal distance, and inland from the normal high-water line, except to remove safety hazards.

Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that district.

- 2. Except in areas as described in section P(1), above, and except to allow for the development of permitted uses, within a strip of land extending one-hundred (100) feet, horizontal distance, inland from the normal high-water line of a great pond classified GPA or a river flowing to a great pond classified GPA, and seventy-five (75) feet, horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:
 - a. There shall be no cleared opening greater than 250 square feet in the forest canopy (or other existing woody vegetation if a forested canopy is not present) as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6) feet in width as measured between tree trunks and/or shrub

stems is allowed provided that a cleared line of sight to the water through the buffer strip is not created.

- b. Selective cutting of trees within the buffer strip is allowed provided that a well distributed stand of trees and other vegetation is maintained. For the purposes of this section 15(P) (2) (b) a "well - distributed stand of trees" adjacent to a great pond classified GPA or a river or stream flowing to a great pond classified GPA, shall be defined as maintaining a rating score of 24 or more in any 25-foot by 50-foot rectangular (1250 square feet) area as determined by the following rating system.

Diameter of Tree at 4-1/2 feet Above Ground Level

<u>(Inches)</u>	<u>Points</u>
<u>2 - <4 in.</u>	<u>1</u>
<u>4 - <8 in.</u>	<u>2</u>
<u>8 - <12 in.</u>	<u>4</u>
<u>12 in. or greater</u>	<u>8</u>

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees" is defined as maintaining a minimum rating score of 16 per 25-foot by 50-foot rectangular area.

NOTE: As an example, adjacent to a great pond, if a 25-foot x 50-foot plot contains four (4) trees between 2 and 4 inches in diameter, two trees between 4 and 8 inches in diameter, three trees between 8 and 12 inches in diameter, and two trees over 12 inches in diameter, the rating score is:

$$(4 \times 1) + (2 \times 2) + (3 \times 4) + (2 \times 8) = 36 \text{ points}$$

Thus, the 25-foot by 50-foot plot contains trees worth 36 points. Trees totaling 12 points (36 - 24 = 12) may be removed from the plot provided that no cleared openings are created.

The following shall govern in applying this point system:

- (i) The 25-foot by 50-foot rectangular plots must be established where the landowner or lessee proposes clearing within the required buffer;
- (ii) Each successive plot must be adjacent to, but not overlap a previous plot;
- (iii) Any plot not containing the required points must have no vegetation removed except as otherwise allowed by this ordinance;
- (iv) Any plot containing the required points may have vegetation removed down to the minimum points required or as otherwise allowed by this ordinance;

- (v) Where conditions permit, no more than 50% of the points on any 25-foot by 50-foot rectangular area may consist of trees greater than 12 inches in diameter.

For the purposes of Section 15(P) (2) (b) "other natural vegetation" is defined as retaining existing vegetation under three (3) feet in height and other ground cover and retaining at least five (5) saplings less than two (2) inches in diameter at four and one half (4 ½) feet above ground level for each 25-foot by 50-foot rectangle area. If five saplings do not exist, no woody stems less than two (2) inches in diameter can be removed until 5 saplings have been recruited into the plot.

Notwithstanding the above provisions, no more than 40% of the total volume of trees four (4) inches or more in diameter, measured at 4 ½ feet above ground level may be removed in any ten (10) year period.

- c. In order to protect water quality and wildlife habitat, existing vegetation under three (3) feet in height and other ground cover, including leaf litter and the forest duff layer, shall not be cut, covered, or removed, except to provide for a footpath or other permitted uses as described in Section 15(P) paragraphs 2 and 2a. above.
- d. Pruning of tree branches, on the bottom 1/3 of the tree is allowed.
- e. In order to maintain a buffer strip of vegetation, when the removal of storm-damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native tree species unless existing new tree growth is present.

Section 15(P) (2) does not apply to those portions of public recreational facilities adjacent to public swimming areas as long as cleared areas are limited to the minimum area necessary.

- 3. At distances greater than one hundred (100) feet, horizontal distance, from a great pond classified GPA or a river flowing to a great pond classified GPA, and seventy-five (75) feet, horizontal distance, from the normal high-water line of any other water body, tributary stream, or the upland edge of a wetland, there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty (40) percent of the volume of trees four (4) inches or more in diameter, measured 4 ½ feet above ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty (40) percent calculation. For the purposes of these standards volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including but not limited to, principal and accessory structures, driveways, lawns and sewage disposal areas, exceed in the aggregate, 25% of the lot area within the shoreland zone or ten thousand (10,000) square feet, whichever is greater, including land previously cleared. This provision shall not apply to the General Development Districts.

- 4. Legally existing nonconforming cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.

5. Fields and other cleared openings which have reverted to primarily shrubs, trees, or other woody vegetation shall be regulated under the provisions of Section 15(P).

Q.Erosion and Sedimentation Control

1. All activities which involve filling, grading, excavation or other similar activities which result in unstablized soil conditions and which require a permit shall also require a written soil erosion and sedimentation control plan. The plan shall be submitted to the permitting authority for approval and shall include, where applicable, provisions for:
 - a. Mulching and revalidation of disturbed soil.
 - b. Temporary runoff control features such as hay bales, silt fencing or diversion ditches.
 - c. Permanent stabilization structures such as retaining walls or riprap.
2. In order to create the least potential for erosion, development shall be designed to fit with the topography and soils of the site. Areas of steep slopes where high cuts and fills may be required shall be avoided wherever possible, and natural contours shall be followed as closely as possible.
3. Erosion and sedimentation control measures shall apply to all aspects of the proposed project involving land disturbance, and shall be in operation during all stages of the activity. The amount of exposed soil at every phase of construction shall be minimized to reduce the potential for erosion.
4. Any exposed ground area shall be temporarily or permanently stabilized within one (1) week from the time it was last actively worked, by use of riprap, sod, seed, and mulch, or other effective measures. In all cases permanent stabilization shall occur within nine (9) months of the initial date of exposure. In addition:
 - a. Where mulch is used, it shall be applied at a rate of at least one (1) bale per five hundred (500) square feet and shall be maintained until a catch of vegetation is established.
 - b. Anchoring the mulch with netting, peg and twine or other suitable method may be required to maintain the mulch cover.
 - c. Additional measures shall be taken where necessary in order to avoid siltation into the water. Such measures may include the use of staked hay bales and/or silt fences.
5. Natural and man-made drainage ways and drainage outlets shall be protected from erosion from water flowing through them. Drainage ways shall be designed and constructed in order to carry water from a twenty five (25) year storm or greater, and shall be stabilized with vegetation or lined with rip-rap.

R. Soils

All land uses shall be located on soils in or upon which the proposed uses or structures can be established or maintained without causing adverse environmental impacts, including severe erosion, mass soil movement, improper drainage, and water pollution, whether during or after construction. Proposed uses requiring subsurface waste disposal, and commercial or industrial development and other similar intensive land uses shall require a soils report based on an on-site investigation and be prepared by state-certified professionals. Certified persons may include Maine Certified Soil Scientists, Maine Registered Professional Engineers, Maine State Certified Geologists and other persons who have training and experience in the recognition and evaluation of soil properties. The report shall be based upon the analysis of the characteristics of the soil and surrounding land and water areas, maximum ground water elevation, and presence of ledge, drainage conditions, and other pertinent data which the evaluator deems appropriate. The soils report shall include recommendations for a proposed use to counteract soil limitations where they exist.

S. Water Quality

No activity shall deposit on or into the ground or discharge to the waters of the State any pollutant that, by itself or in combination with other activities or substances will impair designated uses or the water classification of the water body, tributary stream or wetland. To ensure water quality, there shall be no earth movement of any kind in any amount between the dates of November 1 and May 1.

T. Archaeological Sites

Any proposed land use activity involving structural development or soil disturbance on or adjacent to sites listed on, or eligible to be listed on the National Register of Historic Places, as determined by the permitting authority shall be submitted by the applicant to the Maine Historic Preservation Commission for review and comment, at least twenty (20) days prior to action being taken by the permitting authority. The permitting authority shall consider comments received from the Commission prior to rendering a decision on the application.

NOTE: The applicant should contact the Maine Historic Preservation Commission for the listing and location of Historic Places in St. Albans.

Section 16. Administration

A. Administering Bodies and Agents

1. Code Enforcement Officer. A Code Enforcement Officer shall be appointed or reappointed annually by July 1st.
2. Board of Appeals. A Board of Appeals shall be created in accordance with the provisions of 30-A M.R.S.A. section 2691.
3. Planning Board. A Planning Board shall be created in accordance with the provisions of State law.

B. Permits Required

After the effective date of this Ordinance no person shall, without first obtaining a permit, engage in any activity or use of land or structure requiring a permit in the district in which such activity or use would occur; or expand, change, or replace an existing use or structure; or renew a discontinued nonconforming use. A person who is issued a permit pursuant to this Ordinance shall have a copy of the permit on site while the work authorized by the permit is performed.

1. A permit is not required for the replacement of an existing road culvert as long as:
 - (a) The replacement culvert is not more than 25% longer than the culvert being replaced;
 - (b) The replacement culvert is not longer than 75 feet; and
 - (c) Adequate erosion control measures are taken to prevent sedimentation of the water, and the crossing does not block fish passage in the watercourse.
2. A permit is not required for an archaeological excavation as long as the excavation is conducted by an archaeologist listed on the State Historic Preservation Officer's level 1 or level 2 approved lists, and unreasonable erosion and sedimentation is prevented by means of adequate and timely temporary and permanent stabilization measures.
3. Any permit required by this Ordinance shall be in addition to any other permit required by other law or ordinance.

C. Permit Application

1. Every applicant for a permit shall submit a written application, including a scaled site plan, on a form provided by the Town of St. Albans, to the appropriate official as indicated in Section 14.
2. All applications shall be signed by an owner or individual who can show evidence of right, title or interest in the property or by an agent, representative, tenant, or contractor

- of the owner with authorization from the owner to apply for a permit hereunder, certifying that the information in the application is complete and correct.
3. All applications shall be dated, and the Code Enforcement Officer or Planning Board, as appropriate, shall note upon each application the date and time of its receipt.
 4. If the property is not served by a public sewer, a valid plumbing permit or a completed application for a plumbing permit, including the site evaluation approved by the Plumbing Inspector, shall be submitted whenever the nature of the proposed structure or use would require the installation of a subsurface sewage disposal system.

D. Procedure for Administering Permits

Within 35 days of the date of receiving a written application, the Planning Board or Code Enforcement Officer, as indicated in Section 14, shall notify the applicant in writing either that the application is a complete application, or, if the application is incomplete, that specified additional material is needed to make the application complete. The Planning Board or the Code Enforcement Officer, as appropriate, shall approve, approve with conditions, or deny all permit applications in writing within 35 days of receiving a completed application. However, if the Planning Board has a waiting list of applications, a decision on the application shall occur within 35 days after the first available date on the Planning Board's agenda following receipt of the completed application, or within 35 days of the public hearing, if the proposed use or structure is found to be in conformance with the purposes and provisions of this Ordinance.

The applicant shall have the burden of proving that the proposed land use activity is in conformity with the purposes and provisions of this Ordinance.

After the submission of a complete application to the Planning Board, the Board shall approve an application or approve it with conditions if it makes a positive finding based on the information presented that the proposed use:

1. Will maintain safe and healthful conditions;
2. Will not result in water pollution, erosion, or sedimentation to surface waters;
3. Will adequately provide for the disposal of all wastewater;
4. Will not have an adverse impact on spawning grounds, fish, aquatic life, bird or other wildlife habitat;
5. Will conserve shore cover and visual, as well as actual, points of access to inland waters;
6. Will protect archaeological and historic resources as designated in the comprehensive plan;
7. Will avoid problems associated with flood plain development and use; and
8. Is in conformance with the provisions of Section 15, Land Use Standards.

If a permit is either denied or approved with conditions, the reasons as well as conditions shall be stated in writing. No approval shall be granted for an application involving a structure if the

structure would be located in an unapproved subdivision or would violate any other local ordinance or regulation or statute administered by the municipality.

E. Special Exceptions.

In addition to the criteria specified in Section 16(D) above, except structure setback requirements, the Planning Board may approve a permit for a single family residential structure in a Resource Protection District provided that the applicant demonstrates that all of the following conditions are met:

- (1) There is no location on the property, other than a location within the Resource Protection District, where the structure can be built.
- (2) The lot on which the structure is proposed is undeveloped and was established And recorded in the registry of deeds of the county in which the lot is located before the adoption of the Resource Protection District.
- (3) All proposed buildings, sewage disposal systems and other improvements are:
 - (a) Located on natural ground slopes of less than 20%: and
 - (b) Located outside the floodway of the 100-year flood-plain along rivers and Artificially formed great ponds along rivers, based on detailed flood insurance studies and as delineated on the Federal Emergency Management Agency's Flood Boundary and Floodway Maps and Flood Insurance Rate Maps; all buildings, including basements, are elevated at Least one foot above the 100-year flood-plain elevation; and the development is otherwise in compliance with any applicable municipal flood-plain ordinance. If the floodway is not shown on the Federal Emergency Management Agency Maps, it is deemed to be $\frac{1}{2}$ the width of the 100-year flood-plain.
- (4) The total ground-floor area, including cantilevered or similar overhanging extensions, of all principal and accessory structures is limited to a maximum of 1,500 square feet. This limitation shall not be altered by variance.
- (5) All structures, except functionally water-dependent structures, are set back from the normal high-water line of a water body, tributary stream or upland edge of a wetland to the greatest practical extent, but not less than 75 feet, horizontal distance. In determining the greatest practical extent, the Planning Board shall consider the depth of the lot, the slope of the land, the potential for soil erosion, the type and amount of vegetation to be removed, the proposed building site's elevation in regard to the flood-plain, and its proximity to moderate-value and high-value wetlands.

F. Expiration of Permit

Permits shall expire one year from the date of issuance if a substantial start is not made in construction or in the use of the property during that period. If a substantial start is made within one year of the issuance of the permit, the applicant shall have one additional year to complete the project, at which time the permit shall expire.

G. Installation of Public Utility Service

A public utility, water district, sanitary district or any utility company of any kind may not install services to any new structure located in the shoreland zone unless written authorization attesting to the validity and currency of all local permits required under this or any previous Ordinance, has been issued by the appropriate municipal officials or other written arrangements have been made between the municipal officials and the utility.

H. Appeals

1. Powers and Duties of the Board of Appeals. The Board of Appeals shall have the following powers:
 - a. Administrative Appeals: To hear and decide administrative appeals, on an appellate basis, where it is alleged by an aggrieved party that there is an error in any order, requirement, decision, or determination made by, or failure to act by, the Planning Board in the administration of this Ordinance; and to hear and decide administrative appeals on a de novo basis where it is alleged by an aggrieved party that there is an error in any order, requirement, decision or determination made by, or failure to act by, the Code Enforcement Officer in his or her review of and action on a permit application under this Ordinance. Any order, requirement, decision or determination made, or failure to act, in the enforcement of this ordinance is not appealable to the Board of Appeals.
 - b. Variance Appeals: To authorize variances upon appeal, within the limitations set forth in this Ordinance.

2. Variance Appeals

Variances may be granted only under the following conditions:

- a. Variances may be granted only from dimensional requirements including but not limited to, lot width, structure height, percent of lot coverage, and setback requirements. No variances may be granted to authorize building additions toward the water if the addition would be closer than 100 feet from the normal high water line.

- b. Variances shall not be granted for establishment of any uses otherwise prohibited by this Ordinance.
- c. The Board shall not grant a variance unless it finds that:
 - (i) The proposed structure or use would meet the provisions of Section 15 except for the specific provision which has created the non-conformity and from which relief is sought; and
 - (ii) The strict application of the terms of this Ordinance would result in undue hardship.
The term "undue hardship" shall mean:
 - (a) That the land in question cannot yield a reasonable return unless a variance is granted;
 - (b) That the need for a variance is due to the unique circumstances of the property and not to the general conditions in the neighborhood;
 - (c) That the granting of a variance will not alter the essential character of the locality; and
 - (d) That the hardship is not the result of action taken by the applicant or a prior owner.
- d. Notwithstanding Section 16(H)(2)(c)(ii) above, the Board of Appeals may grant a variance to an owner of a residential dwelling for the purpose of making that dwelling accessible to a person with a disability who resides in or regularly uses the dwelling. The Board shall restrict any variance granted under this subsection solely to the installation of equipment or the construction of structures necessary for access or egress from the dwelling by the person with the disability. The Board may impose conditions on the variance, including limiting the variance to the duration of the disability or to the time that the person with the disability lives in the dwelling. The term "structures necessary for access or egress from the dwelling" shall include railing and wall or roof systems necessary for the safety or effectiveness of the structure.
- e. The Board of Appeals shall limit any variances granted as strictly as possible in order to ensure conformance with the purposes and provisions of this Ordinance to the greatest extent possible, and in doing so may impose such conditions to a variance as it deems necessary. The party receiving the variance shall comply with any conditions imposed.
- f. A copy of each variance request, including the application and all supporting information supplied by the applicant, shall be forwarded by the municipal officials to the Commissioner of the Department of Environmental Protection at least twenty (20) days prior to action by the Board of Appeals. Any comments received from the Commissioner prior to the action by the Board of Appeals shall be made part of the record and shall be taken into consideration by the Board of Appeals.

3. Administrative Appeals

When the Board of Appeals reviews a decision of the Code Enforcement Officer the Board of Appeals shall hold a "de novo" hearing. At this time the Board may receive and consider new evidence and testimony, be it oral or written. When acting in a "de novo" capacity the Board of Appeals shall hear and decide the matter afresh, undertaking its own independent analysis of evidence and the law, and reaching its own decision. When the Board of Appeals hears a decision of the Planning Board, it shall hold an appellate hearing, and may reverse the decision of the Planning Board only upon finding that the decision was contrary to specific provisions of the Ordinance or contrary to the facts presented to the Planning Board. The Board of Appeals may only review the record of the proceedings before the Planning Board. The Board of Appeals shall not receive or consider any evidence which was not presented to the Planning Board, but the Board of Appeals may receive and consider written or oral arguments. If the Board of Appeals determines that the records of the Planning Board proceedings are inadequate, the Board of Appeals may remand the matter to the Planning Board for additional fact finding.

4. Appeal Procedure

a. Making an Appeal

- (i) An administrative or variance appeal may be taken to the Board of Appeals by an aggrieved party from any decision of the Code Enforcement Officer or the Planning Board, except for enforcement-related matters as described in Section 16(H)(1)(a) above. Such an appeal shall be taken within thirty (30) days of the date of the official written decision appealed from, and not otherwise, except that the Board, upon a showing of good cause, may waive the thirty (30) day requirement.
- (ii) Applications for appeals shall be made by filing with the Board of Appeals a written notice of appeal which includes:
 - a. A concise written statement indicating what relief is requested and why the appeal or variance should be granted.
 - b. A sketch drawn to scale showing lot lines, location of existing buildings and structures and other physical features of the lot pertinent to the relief sought.
- (iii) Upon receiving an application for an administrative appeal or a variance, the Code Enforcement Officer or Planning Board, as appropriate, shall transmit to the Board of Appeals all of the papers constituting the record of the decision appealed from.
- (iv) The Board of Appeals shall hold a public hearing on an administrative appeal or a request for a variance within thirty-five (35) days of its receipt of a complete written application, unless this time period is extended by the parties.

b. Decision by Board of Appeals

- (i) A majority of the full voting membership of the Board shall constitute a quorum for the purpose of deciding an appeal. A member who abstains shall not be counted in determining whether a quorum exists.
- (ii) The person filing the appeal shall have the burden of proof.
- (iii) The Board shall decide all administrative appeals and variance appeals within thirty five (35) days after the close of the hearing, and shall issue a written decision on all appeals.
- (iv) The Board of Appeals shall state the reasons and basis for its decision, including a statement of the facts found and conclusions reached by the Board. The Board shall cause written notice of its decision to be mailed or hand delivered to the applicant and to the Department of Environmental Protection within seven (7) days of the Board's decision. Copies of written decisions of the Board of Appeals shall be given to the Planning Board, Code Enforcement Officer, and the municipal officers.

5. Appeal to Superior Court

Except as provided by 30-A M.R.S.A. section 2691(3)(F), any aggrieved party who participated as a party during the proceedings before the Board of Appeals may take an appeal to Superior Court in accordance with State laws within forty-five (45) days from the date of any decision of the Board of Appeals.

6. Reconsideration

In accordance with 30-A M.R.S.A. section 2691(3) (F), the Board of Appeals may reconsider any decision within forty-five (45) days of its prior decision. A request to the Board to reconsider a decision must be filed within ten (10) days of the decision that is being reconsidered. A vote to reconsider and the action taken on that reconsideration must occur and be completed within forty-five (45) days of the date of the vote on the original decision. Reconsideration of a decision shall require a positive vote of the majority of the board members originally voting on the decision, and proper notification to the landowner, petitioner, planning board, code enforcement officer, and other parties of interest, including abutters and those who testified at the original hearing(s). The Board may conduct additional hearings and receive additional evidence and testimony.

Appeal of a reconsidered decision to Superior Court must be made within fifteen (15) days after the decision on reconsideration.

H. Enforcement

1. Nuisances

Any violation of this Ordinance shall be deemed to be a nuisance.

2. Code Enforcement Officer

- a. It shall be the duty of the Code Enforcement Officer to enforce the provisions of this Ordinance. If the Code Enforcement Officer shall find that any provision of this Ordinance is being violated, he or she shall notify in writing the person responsible for such violation, indicating the nature of the violation and ordering the action necessary to correct it, including discontinuance of illegal use of land, buildings or structures, or work being done, removal of illegal buildings or structures, and abatement of nuisance conditions. A copy of such notices shall be submitted to the municipal officers and be maintained as a permanent record.
- b. The Code Enforcement Officer shall conduct on-site inspections to insure compliance with all applicable laws and conditions attached to permit approvals. The Code Enforcement Officer shall also investigate all complaints of alleged violations of this Ordinance.
- c. The Code Enforcement Officer shall keep a complete record of all essential transactions of the office, including applications submitted, permits granted or denied, variances granted or denied, revocation actions, revocation of permits, appeals, court actions, violations investigated, violations found, and fees collected. On an annual basis, a summary of this record shall be submitted to the Director of the Bureau of Land and Water Quality within the Department of Environmental Protection.

3. Legal Actions

When the above action does not result in the correction or abatement of the violation or nuisance condition, the Municipal Officers, upon notice from the Code Enforcement Officer, are hereby directed to institute any and all actions and proceedings, either legal or equitable, including seeking injunctions of violations and the imposition of fines, that may be appropriate or necessary to enforce the provisions of this Ordinance in the name of the municipality. The municipal officers, or their authorized agent, are hereby authorized to enter into administrative consent agreements for the purpose of eliminating violations of this Ordinance and recovering fines without Court action. Such agreements shall not allow an illegal structure or use to continue unless there is clear and convincing evidence that the illegal structure or use was constructed or conducted as a direct result of erroneous advice given by an authorized municipal official and there is no evidence that the owner acted in bad faith, or unless the removal of the structure or use will result in a threat or hazard to public health and safety or will result in substantial environmental damage. The CEO, if qualified, may be authorized by the Selectmen to represent the Town in appropriate courts according to state statutes or Court rules to enforce this ordinance.

4. Fines

Any person, including but not limited to a landowner, a landowner's agent or a contractor, who violates any provision or requirement of this Ordinance shall be penalized in accordance with Title 30-A, Maine Revised Statutes Annotated, and Subsection 4452. NOTE:

Current penalties include fines of not less than \$100 but not more than \$2500 per violation for each day that the violation continues. However, in a resource protection district the maximum penalty is increased to \$5000 (38 M.R.S.A. section 4452).

Section 17. Definitions

Accessory structure or use - a use or structure which is incidental and subordinate to the principal use or structure. Accessory uses, when aggregated shall not subordinate the principal use of the lot. A deck or similar extension of the principal structure or a garage attached to the principal structure by a roof or a common wall is considered part of the principal structure.

Aggrieved party - an owner of land whose property is directly or indirectly affected by the granting or denial of a permit or variance under this Ordinance; a person whose land abuts land for which a permit or variance has been granted; or any other person or group of persons who have suffered particularized injury as a result of the granting or denial of such permit or variance.

Agriculture - the production, keeping or maintenance for sale or lease, of plants and/or animals, including but not limited to: forages and sod crops; grains and seed crops; dairy animals and dairy products; poultry products; livestock; fruits and vegetables; and ornamental and green house products. Agriculture does not include forest management and timber harvesting activities.

Aquaculture - the growing or propagation of harvestable freshwater, estuarine, or marine plant or animal species.

Basal Area - the area of cross-section of a tree stem at 4 ½ feet above ground level and inclusive of bark.

Basement - any portion of a structure with a floor-to-ceiling height of 6 feet or more and having more than 50% of its volume below the existing ground level.

Boat Launching Facility - a facility designed primarily for the launching and landing of watercraft, and which may include an access ramp, docking area, and parking spaces for vehicles and trailers.

Campground - any area or tract of land to accommodate two (2) or more parties in temporary living quarters, including, but not limited to tents, recreational vehicles or other shelters.

Canopy - the more or less continuous cover formed by tree crowns in a wooded area.

Commercial use - the use of lands, buildings, or structures, other than a "home occupation," defined below, the intent and result of which activity is the production of income from the buying and selling of goods and/or services, exclusive of rental of residential buildings and/or dwelling units.

DBH - the diameter of a standing tree measured 4.5 feet from ground level.

Development - a change in land use involving alteration of the land, water or vegetation, or the addition or alteration of structures or other construction not naturally occurring.

Dimensional requirements - numerical standards relating to spatial relationships including but not limited to setback, lot area, shore frontage and height.

Disability - any disability, infirmity, malformation, disfigurement, congenital defect or mental condition caused by bodily injury, accident, disease, birth defect, environmental conditions or illness; and also includes the physical or mental condition of a person which constitutes a substantial handicap as determined by a physician or, in the case of mental handicap, by a

psychiatrist or psychologist, as well as any other health or sensory impairment which requires special educational, vocational rehabilitation or related services.

Driveway - a vehicular access-way less than five hundred (500) feet in length serving two single-family dwellings or one two-family dwelling, or less.

Emergency operations - operations conducted for the public health, safety or general welfare, such as protection of resources from immediate destruction or loss, law enforcement, and operations to rescue human beings, property and livestock from the threat of destruction or injury.

Essential services - gas, electrical or communication facilities; steam, fuel, electric power or water transmission or distribution lines, towers and related equipment; telephone cables or lines, poles and related equipment; gas, oil, water, slurry or other similar pipelines; municipal sewage lines, collection or supply systems; and associated storage tanks. Such systems may include towers, poles, wires, mains, drains, pipes, conduits, cables, fire alarms and police call boxes, traffic signals, hydrants and similar accessories, but shall not include service drops or buildings which are necessary for the furnishing of such services.

Expansion of a structure - an increase in the floor area or volume of a structure, including all extensions such as, but not limited to: attached decks, garages, porches and greenhouses.

Expansion of use - the addition of one or more months to a use's operating season; or the use of more floor area devoted to a particular use.

Family - one or more persons occupying a premises and living as a single housekeeping unit.

Floodway - the channel of a river or other watercourse and adjacent land areas that must be reserved in order to discharge the 100-year flood without cumulatively increasing the water surface elevation by more than one foot in height.

Floor area - the sum of the horizontal areas of the floor(s) of a structure enclosed by exterior walls, plus the horizontal area of any unenclosed portions of a structure such as porches and decks.

Forest management activities - timber cruising and other forest resource evaluation activities, pesticide or fertilizer application, management planning activities, timber stand improvement, pruning, regeneration of forest stands, and other similar or associated activities, exclusive of timber harvesting and the construction, creation or maintenance of roads.

Forested wetland - a freshwater wetland dominated by woody vegetation that is six (6) meters tall (approximately twenty (20) feet) or taller.

Foundation - the supporting substructure of a building or other structure, excluding wooden sills and post supports, but including basements, slabs, frost walls, or other base consisting of concrete, block, brick or similar material.

Freshwater wetland - freshwater swamps, marshes, bogs and similar areas, other than forested wetlands, which are:

1. Of ten or more contiguous acres; or of less than 10 contiguous acres and adjacent to a surface water body, excluding any river, stream or brook such that in a natural state, the combined surface area is in excess of 10 acres; and
2. Inundated or saturated by surface or ground water at a frequency and for the duration sufficient to support, and which under normal circumstances do support, a prevalence of wetland vegetation typically adapted for life in saturated soils.

Freshwater wetlands may contain small stream channels or inclusions of land that do not conform to the criteria of this definition.

Functionally water-dependent uses - those uses that require, for their primary purpose, location on submerged lands or that require direct access to, or location in, coastal and inland waters and that cannot be located away from these waters. The uses include, but are not limited to commercial and recreational fishing and boating facilities, excluding recreational boat storage buildings, finfish and shellfish processing, fish storage and retail and wholesale fish marketing facilities, waterfront dock and port facilities, shipyards and boat building facilities, marinas, navigation aides, basins and channels, retaining walls, industrial uses dependent upon water-borne transportation or requiring large volumes of cooling or processing water that cannot reasonably be located or operated at an inland site, and uses which primarily provide general public access to coastal or inland waters.

Great pond - any inland body of water which in a natural state has a surface area in excess of ten acres, and any inland body of water artificially formed or increased which has a surface area in excess of thirty (30) acres except for the purposes of this Ordinance, where the artificially formed or increased inland body of water is completely surrounded by land held by a single owner.

Great pond classified GPA - any great pond classified GPA, pursuant to Title 38 M.R.S.A. Article 4-A Section 465-A. This classification includes some, but not all impoundments of rivers that are defined as great ponds.

Ground Cover - small plants, fallen leaves, needles and twigs, and the partially decayed organic matter of the forest floor.

Height of a structure - the vertical distance between the mean original (prior to construction) grade at the downhill side of the structure and the highest point of the structure, excluding chimneys, steeples, antennas, and similar appurtenances that have no floor area.

Home occupation - an occupation or profession which is customarily conducted on or in a residential structure or property and which is 1) clearly incidental to and compatible with the residential use of the property and surrounding residential uses; and 2) which employs no more than two (2) persons other than family members residing in the home.

Increase in Nonconformity of a Structure - any change in a structure or property which causes further deviation from the dimensional standard(s) creating the nonconformity such as, but not limited to, reduction in water body, tributary stream or wetland setback distance, increase in lot coverage, or increase in height of a structure. Property changes or structure expansions which either meet the dimensional standard or which cause no further increase in the linear extent of nonconformance of the existing structure shall not be considered to increase nonconformity. For example, there is no increase in nonconformity with the setback requirement for water bodies.

wetlands, or tributary streams if the expansion extends no further into the required setback area than does any portion of the existing nonconforming structure. Hence, a structure may be expanded laterally provided that the expansion extends no closer to the water body, tributary stream, or wetland than the closest portion of the existing structure from that water body, tributary stream, or wetland. Included in this allowance are expansions which in-fill irregularly shaped structures.

Individual private campsite - an area of land which is not associated with a campground, but which is developed for repeated camping by only one group not to exceed ten (10) individuals and which involves site improvements which may include but not be limited to a gravel pad, parking area, fire place, or tent platform.

Industrial - The assembling, fabrication, finishing, manufacturing, packaging or processing of goods, or the extraction of minerals.

Institutional - a non-profit or quasi-public use, or institution such as a church, library, public or private school, hospital, or municipally owned or operated building, structure or land used for public purposes.

Lot area - The area of land enclosed within the boundary lines of a lot, minus land below the normal high-water line of a water body or upland edge of a wetland and areas beneath roads serving more than two lots.

Marina - a business establishment having frontage on navigable water and, as its principal use, providing for hire offshore moorings or docking facilities for boats, and which may also provide accessory services such as boat and related sales, boat repair and construction, indoor and outdoor storage of boats and marine equipment, bait and tackle shops and marine fuel service facilities.

Market value - the estimated price a property will bring in the open market and under prevailing market conditions in a sale between a willing seller and a willing buyer, both conversant with the property and with prevailing general price levels.

Mineral Exploration - hand sampling, test boring, or other methods of determining the nature or extent of mineral resources which create minimal disturbance to the land and which include reasonable measures to restore the land to its original condition.

Mineral extraction - any operation within any twelve (12) month period which removes more than one hundred (100) cubic yards of soil, topsoil, loam, sand, gravel, clay, rock, peat, or other like material from its natural location and to transport the product removed, away from the extraction site.

Minimum Lot Width - the closest distance between the side lot lines of a lot. When only two lot lines extend into the shoreland zone, both lot lines shall be considered to be side lot lines.

Multi-unit residential - a residential structure containing three (3) or more residential dwelling units.

Native - indigenous to the local forests.

Nonconforming Condition - non-conforming lot, structure or use which is allowed solely because it was in lawful existence at the time this ordinance or subsequent amendment took effect.

Non-conforming lot - a single lot of record which, at the effective date of adoption or amendment of this Ordinance, does not meet the area, frontage, or width requirements of the district in which it is located.

Non-conforming structure - a structure which does not meet any one or more of the following dimensional requirements; setback, height, or lot coverage, but which is allowed solely because it was in lawful existence at the time this Ordinance or subsequent amendments took effect.

Non-conforming use - use of buildings, structures, premises, land or parts thereof which is not permitted in the district in which it is situated, but which is allowed to remain solely because it was in lawful existence at the time this Ordinance or subsequent amendments took effect.

Normal high-water line - that line which is apparent from visible markings, changes in the character of soils due to prolonged action of the water or changes in vegetation, and which distinguishes between predominantly aquatic and predominantly terrestrial land. Areas contiguous with rivers and great ponds that support non-forested wetland vegetation and hydric soils and that are at the same or lower elevation as the water level of the river or great pond during the period of normal high-water are considered part of the river or great pond.

Person - an individual, corporation, governmental agency, municipality, trust, estate, partnership, association, two or more individuals having a joint or common interest, or other legal entity.

Piers, docks, wharfs, bridges and other structures and uses extending over or beyond the normal high-water line or within a wetland-

Temporary: Structures which remain in or over the water for less than seven (7) months in any period of twelve (12) consecutive months.

Permanent: Structures which remain in or over the water for seven (7) months or more in any period of twelve (12) consecutive months.

Principal structure - a building other than one which is used for purposes wholly incidental or accessory to the use of another building or use on the same premises.

Principal use - a use other than one which is wholly incidental or accessory to another use on the same premises.

Public facility - any facility, including, but not limited to, buildings, property, recreation areas, and roads, which are owned, leased, or otherwise operated, or funded by a governmental body or public entity.

Recent flood plain soils - the following soil series as described and identified by the National Cooperative Soil Survey:

Alluvial	Cornish	Charles
Fryeburg	Hadley	Limerick
Lovewell	Medomak	Ondawa
Podunk	Rumney	Saco
Suncook	Sunday	Winooski

Recreational facility - a place designed and equipped for the conduct of sports, leisure time activities, and other customary and usual recreational activities, excluding boat launching facilities.

Recreational vehicle - a vehicle or an attachment to a vehicle designed to be towed, and designed for temporary sleeping or living quarters for one or more persons, and which may include a pick-up camper, travel trailer, tent trailer, camp trailer, and motor home. In order to be considered as a vehicle and not as a structure, the unit must remain with its tires on the ground, and must be registered with the State Division of Motor Vehicles.

Replacement system - a system intended to replace: 1.) an existing system which is either malfunctioning or being upgraded with no significant change of design flow or use of the structure, or 2.) an existing overboard wastewater discharge.

Residential dwelling unit - a room or group of rooms designed and equipped exclusively for use as permanent, seasonal, or temporary living quarters for only one family at a time and containing cooking, sleeping, and toilet facilities. The term shall include mobile homes and rental units that contain cooking, sleeping and toilet facilities regardless of the time-period rented. Recreational vehicles are not residential dwelling units.

Residual Basel Area - the average of the base area of trees remaining on a harvested site.

Riprap - rocks, irregularly shaped, and at least six (6) inches in diameter, used for erosion control and soil stabilization, typically used on ground slopes of two (2) units horizontal to one (1) unit vertical or less.

River - a free-flowing body of water including its associated flood plain wetlands from that point at which it provides drainage for a watershed of twenty five (25) square miles to its mouth.

Road - a route or track consisting of a bed of exposed mineral soil, gravel, asphalt, or other surfacing material constructed for or created by the repeated passage of motorized vehicles, excluding a driveway as defined.

Service drop - any utility line extension which does not cross or run beneath any portion of a water body provided that:

1. *in the case of electric service*

- a. the placement of wires and/or the installation of utility poles is located entirely upon the premises of the customer requesting service or upon a roadway right-of-way;
and
- b. the total length of the extension is less than one thousand (1,000) feet.

2. *in the case of telephone service*

- a. the extension, regardless of length, will be made by the installation of telephone wires to existing utility poles, or
- b. the extension requiring the installation of new utility poles or placement underground is less than one thousand (1,000) feet in length.

Setback - the nearest horizontal distance from the normal high-water line of a water body or tributary stream, or upland edge of a wetland, to the nearest part of a structure, road, parking space or other regulated object or area.

Shore frontage - the length of a lot bordering on a water body or wetland measured in a straight line between the intersections of the lot lines with the shoreline.

Shoreland zone - the land area located within two hundred and fifty (250) feet, horizontal distance, of the normal high-water line of any great pond, or river; within 250 feet, horizontal distance of the upland edge of a freshwater wetland; or within seventy-five (75) feet horizontal distance, of the normal high-water line of a stream.

Shoreline - the normal high-water line, or upland edge of a freshwater wetland.

Significant River Segments - See Appendix B or 38 M.S.R.A. section 437.

Skid Trail - a route repeatedly used by forwarding machinery or animal to haul or drag forest products from the stump to the yard or landing, the construction of which requires minimal excavation.

Slash - the residue, e.g., treetops and branches, left on the ground after a timber harvest.

Stream - a free-flowing body of water from the outlet of a great pond or the confluence of two (2) perennial streams as depicted on the most recent edition of a United States Geological Survey 7.5 minute series topographic map, or if not available, a 15-minute series topographic map, to the point where the body of water becomes a river or flows to another water body or wetland within the shoreland area.

Structure - anything built for the support, shelter or enclosure of persons, animals, goods or property of any kind, together with anything constructed or erected with a fixed location on or in the ground, exclusive of fences and poles, wiring and other aerial equipment normally associated with service drops as well as guying and guy anchors. The term includes structures temporarily or permanently located, such as decks, patios and satellite dishes.

Substantial start - completion of thirty (30) percent of a permitted structure or use measured as a percentage of estimated total cost.

Subsurface sewage disposal system - any system designed to dispose of waste or waste water on or beneath the surface of the earth; includes, but is not limited to : septic tanks; disposal fields; grandfathered cesspools; holding tanks; pretreatment filter, piping, or any other fixture, mechanism, or apparatus used for those purposes; does not include any discharge system licensed under 38 M.R.S.A. section 414, any surface waste water disposal system, or any municipal or quasi-municipal sewer or waste water treatment system.

Sustained slope - a change in elevation where the referenced percent grade is substantially maintained or exceeded throughout the measured area.

Timber harvesting - the cutting and removal of timber for the primary purpose of selling or processing forest products. The cutting or removal of trees in the shoreland zone on a lot that has less than two (2) acres within the shoreland zone shall not be considered timber harvesting. Such cutting or removal of trees shall be regulated pursuant to Section 15 (P), *Clearing or Removal of Vegetation for Activities Other Than Timber Harvesting*.

Tributary stream - means a channel between defined banks created by the action of surface water, which is characterized by the lack of terrestrial vegetation or by the presence of a bed, devoid of topsoil, containing waterborne deposits or exposed soil, parent material or bedrock; and which is connected hydrological with other water bodies. "Tributary stream" does not include rills or gullies forming because of accelerated erosion in disturbed soils where the natural vegetation cover has been removed by human activity.

This definition does not include the term "stream" as defined elsewhere in this Ordinance, and only applies to that portion of the tributary stream located within the shoreland zone of the receiving water body or wetland.

NOTE: Water setback requirements apply to tributary streams within the shoreland zone.

Upland edge of a wetland - the boundary between upland and wetland. For the purposes of a freshwater wetland, the upland edge is formed where the soils are not saturated for a duration sufficient to support wetland vegetation; or where the soils support the growth of wetland vegetation, but such vegetation is dominated by woody stems that are six (6) meters (approximately twenty (20) feet) tall or taller.

Vegetation - all live trees, shrubs, and other plants including without limitation, trees both over and under 4 inches in diameter, measured at 4 ½ above ground level.

Volume of a structure - the volume of all portions of a structure enclosed by roof and fixed exterior walls as measured from the exterior faces of these walls and roof.

Water body - any great pond, river, or stream.

Water Crossing - any project extending from one bank to the opposite bank of a river, stream, tributary stream, or wetland whether under, through, or over the water or wetland. Such projects include but may not be limited to roads, fords, bridges, culverts, water lines, sewer lines, and cables as well as maintenance work on these crossings. This definition includes crossings for timber harvesting equipment and related activities.

Wetland - a freshwater wetland.

Woody Vegetation - live trees or woody, non-herbaceous shrubs.

In addition to the areas so designated by the State mandated shoreland zoning laws,

The following areas are designated as follows:

RESOURCE PROTECTION AREAS

Half Moon Pond

All areas of the shoreline designated by Inland Fisheries and Wildlife as high value waterfowl area.

Little Indian Pond

North and east shores designated by Inland Fisheries and Wildlife as high value waterfowl areas as follows:

Starting 400 feet easterly of Route 23 on the northerly shore of the stream between Big and Little Indian and continuing easterly all the way around the lake to a point on the eastern shore of Little Indian to a point 800 feet northerly of the property line between land formerly owned by V. Parsons and land presently owned by Mower Brothers near Bog Stream. In addition the Resource Protection District also extends 1000 feet starting 400 feet westerly of the property line between land formerly owned by V. Parsons and land formally owned by R. McLean and running in a westerly direction.

Indian Stream

- 1) Starting at a point on the eastern side 300 feet southerly from the center line of the Palmyra Road and extending to the property presently owned by Lewis McLeod.
- 2) Starting at a point on the western side marked by an iron post, which is the southerly line of the Springer Bldg. Center property, and extending southerly 200 feet.

Weymouth Pond

Beginning at the property line between Philip Nelson and Peter Brower and extending north 300 feet.

Game Management Area

All of the Area.

Big Indian Lake

Beginning at a point 200 feet easterly of the property line between properties now or formerly owned by McGuinness and Ivan Crocker and extending 2000 feet in an easterly direction.

LIMITED COMMERCIAL DISTRICT

Indian Stream

Both sides of the stream from the upper bridge to the areas designated Resource Protection above.

TOWN OF

ST. ALBANS

SUBDIVISION REVIEW

REGULATIONS

ADOPTED BY ST. ALBANS PLANNING BOARD

DATE : MARCH 18, 2003

Amended : June 21, 2005

Section 1 General

A. Title:

This document shall be known as the Town of St. Albans Subdivision Review Regulations and will be referred to as "these Regulations".

B. Authority:

These Regulations have been prepared in accordance with the provisions of Title 30 - A, M.R.S.A. Section 4403.

C. Purpose:

The purpose of these Regulations is :

- To provide for an expeditious and efficient process for the review of proposed subdivisions.
- To clarify the approval criteria of the State Subdivision Law, found in Title 30 -A, M.R.S.A. Section 4404.
- To preserve and enhance the rural character of the community.
- To assure the safety, health, and welfare of the people of the Town of St. Albans.
- To provide adequate recreational opportunities.
- To protect the natural resources of the Town of St. Albans.
- To assure that a minimal level of services and facilities are available to the residents of new subdivisions and that lots in subdivisions are capable of supporting the proposed uses and structures.
- To promote the development of an economically sound and stable community.

D. Applicability:

The provisions of these Regulations shall apply to all development considered to be a subdivision as defined by Title 30 -A, M.R.S.A Section 4401 and these Regulations.

E. Effective Date:

The effective date of these Regulations shall be the date of the adoption by the Town of St. Albans Planning Board.

F. Conflicts with other Ordinances:

Whenever a provision of these Regulations conflict with or are inconsistent with another provision of these Regulations or any other ordinance, regulation or statute, the more restrictive provision shall control.

G. Validity and Severability:

Should any section or provision of these Regulations be declared by the courts to be invalid, such decision shall not invalidate any other section or provision of these Regulations.

H. Availability:

A certified copy of these Regulations shall be filed with the Town Clerk and shall be accessible to any member of the public. Copies shall be made available to the public at no cost to the person making the request. Notice of availability of these Regulations shall be posted in the Town Office.

I. Application Forms:

The Town of St. Albans Planning Board shall develop application forms to be used by all applicants seeking subdivision approval.

J. Application Fee:

All applications for subdivision approval shall be accompanied by the following fees:
The fee for filing a preliminary plan shall be \$100.00 plus \$25.00 per lot and/or unit.

All fees are non-refundable and shall be paid to the Town of St. Albans upon filing the appropriate subdivision application.

K. Amendments:

An amendment to these Regulations may be adopted by a majority vote of the Town of St. Albans Planning Board.

L. Amendment were made to these Regulations on the following dates:

Section 2 Definitions

Abutter: The owner of any property with one or more common boundaries, or across the road or stream, from the property involved in an application.

Aggrieved Party: An owner of land whose property is directly or indirectly affected by the granting of, denial of a permit under these Regulations; a person whose land abuts land for which a permit has been granted; or any other person or group of persons who have suffered particularized injury as a result of the granting or denial of a permit.

Applicant: The person applying for subdivision approval under these Regulations.

Complete Application: An application shall be considered complete upon submission of the required fee and all the information required by these Regulations, or by a vote to waive certain submission or performance standards by a vote of the Planning Board.

Direct Watershed of a Pond: That portion of the watershed which drains directly to the pond without first passing through an upstream pond or river.

Final Plan: The final drawings and other required materials on which the applicant's plan of subdivision is presented to the Planning Board for approval and which, if approved, may be recorded at the registry of Deeds.

Person: includes a firm, association, organization, partnership, trust, company or corporation, as well as an individual.

Preliminary Plan: The preliminary drawings and other required materials indicating the proposed layout of the subdivision to be submitted to the Planning Board for consideration.

Property Owner: The owner of land shall be determined to be that person listed on the Town of St. Albans property tax assessment records.

Public Improvements: The term shall include all roads proposed for public acceptance; fire protection structures and ponds; any structure or land proposed to be dedicated to the Town; any land or structure which is offered as an easement to the Town; and, all storm drainage structures which are designed to allow water to flow outside the property of the subdivision.

Sketch Plan: Conceptual maps, renderings and supportive data describing the project proposed by the applicant for initial review prior to submitting an application for subdivision approval.

Subdivision: As defined in Title 30 - A, M.R.S.A. Section 4401; in addition, lots of 40 or more acres shall not be counted as a lot, except when the lot or parcel from which it was divided is located entirely or partially within any shoreland area as designated by the St. Albans Shoreland Zoning Ordinance.

Section 3 Review Criteria

Review criteria shall include those minimum requirements found in Maine State Law, and the Planning Board shall consider that criteria and the following criteria and before granting approval must determine that:

- A. The proposed subdivision will not result in undue water or air pollution. In making this determination, it shall at least consider:
 - The elevation of the land above sea level and its relation to the floodplain,
 - The nature of the soils and subsoils and their ability to adequately support waste disposal,
 - The slope of the land and its effect upon effluents, and,
 - The applicable state and local health and water resources rules and regulations.
- B. The proposed subdivision has sufficient water available for the reasonable needs of the subdivision.
- C. The proposed subdivision will not cause an unreasonable burden on an existing municipal or private water supply, if one is to be used.
- D. The proposed subdivision will not cause unreasonable soil erosion or a reduction in the land's capacity to hold water so that a dangerous or unhealthy condition results.
- E. The proposed subdivision will not cause unreasonable highway or public road congestion or unsafe conditions with respect to the use of the highways or public roads existing or proposed.
- F. The proposed subdivision will provide for adequate sewage waste disposal and will not cause an unreasonable burden on municipal services if they are used.
- G. The proposed subdivision will not cause an unreasonable burden on the town's ability to dispose of solid waste, if Town services are used.
- H. The proposed subdivision will not have an undue adverse effect on the scenic or natural beauty of the area, aesthetics, historic sites, archeological sites, significant wildlife habitat as identified by the Department of Inland Fisheries and Wildlife or the Town, or rare and irreplaceable natural areas or any public rights for physical or visual access to the shoreline.
- I. The proposed subdivision conforms with all the applicable standards and requirements of these Regulations, the comprehensive plan, and other local ordinances. In making this determination, the planning Board may interpret these ordinances and plans.
- J. The subdivider has adequate financial and technical capacity to meet all the Review Criteria and the standards and requirements contained in these Regulations.
- K. Whenever situated entirely or partially within the watershed of any pond or lake or within 250 feet of any wetland, great pond or river as defined in Title 38, Chapter 3, Subchapter 1, Article 2-B, the proposed subdivision will not adversely affect the quality of that body of water or unreasonably affect the shoreline of that body of water.
- L. The proposed subdivision will not, alone or in conjunction with existing activities, adversely affect the quality or quantity of ground water.
- M. Based on Federal Emergency Management Agency's Flood Boundary and Floodway Maps and Flood Insurance Rate Maps, and information presented by the applicant whether the subdivision is in a flood-prone area. If the subdivision, or any part of it, is in such an area, the subdivider shall determine the 100-year flood elevation and flood hazard boundary within the subdivision. The proposed subdivision plan must include a condition of plan approval requiring that principal structures in the subdivision will be constructed with the lowest floor, including the basement, at least one foot above the 100-year flood elevation.

- N. All fresh water wetlands within the proposed subdivision have been identified on any maps submitted as part of the application, regardless of the size of these wetlands. All wetlands shall be preserved to the greatest extent practicable.
- O. Any river, stream or brook within or abutting the proposed subdivision has been identified on any maps submitted as part of the application. All rivers ,streams or brooks shall be protected from any adverse development impacts.
- P. The proposed subdivision will provide for adequate storm water management.
- Q. If any lots in the proposed subdivision have shore frontage on a river, stream, brook, great pond or wetland as these features are defined in Title 38, Section 480-B, none of the lots created within the subdivision shall have a lot depth to shore frontage ratio greater than 5 to 1.
- R. The long-term cumulative effects of the proposed subdivision will not unreasonably increase a great pond's phosphorus concentration during the construction phase and life of the proposed subdivision.
- S. Review criteria shall include those minimum requirements found in Maine state law.

Section 4 Administration and General Procedures

A. Administration:

1. The Planning Board shall administer these Regulations and review all subdivision applications according to the applicable review criteria and standards.
2. The Planning Board shall provide the Code Enforcement Officer a copy of its decision on a subdivision application including all application materials.

B. Decisions:

1. The Planning Board shall determine if the subdivision application is complete before it schedules a public hearing and begins a review of the application.
2. After review of a complete application the Planning Board shall determine whether or not the application meets the Review Criteria contained in Section 3 of these Regulations. The Planning Board shall make a written finding of fact to support its decision and vote to approve the application, deny the application, or approve the application with conditions.
3. If in its findings, the Planning Board determines that the application may not meet the review criteria, and that additional actions by the applicant will be sufficient to meet them, it may require such actions, as conditions of approval. The conditions may set forth requirements in addition to those set forth in these Regulations only when the Planning Board finds it necessary to further the purposes of these Regulations. All conditions approved by the Planning Board shall be listed along with the reasons for these conditions in the Planning Board's decision and on the final subdivision plan..
4. The Planning Board shall list any waivers approved by the Board in its decision and on the final subdivision plan and the reasons for such approval.

C. Burden of Proof:

1. The applicant shall have the burden of proof to show the proposed subdivision application meets the applicable review criteria and standards contained in these Regulations.

D. Additional Studies:

1. The Planning Board may require the applicant, to perform additional studies or hire a consultant to review the entire or portions of the subdivision application. The cost to perform additional studies or hire a consultant shall be borne by the applicant. The Planning Board may require the applicant to deposit the estimated cost of any consultant or additional study which shall be placed in an escrow account.

E. Rights Not Vested:

1. The submittal of a sketch plan or a preliminary plan to the Planning Board to review for a complete application shall not be considered the initiation of the review process for the purposes of bringing the application under the protection of Title 1, M.R.S.A., Section 302. The formal review process shall begin upon written notification to the applicant that a complete application has been received.

F. Site Inspection:

1. The Planning Board may vote to schedule an on-site inspection of the proposed project. The Planning Board shall schedule the date and time of the site inspection at the sketch plan meeting or at another time. The Planning Board shall post the date, time and place of the site inspection at the Town Office.
2. The purpose of the site inspection is for the Planning Board to obtain knowledge about the site and surrounding area. The Planning Board shall not discuss the merits of the application or render any decision concerning the application during the site inspection.

G. Waivers:

1. The Planning Board may vote to waive any of the review criteria and/or ordinance performance standards when it finds one of the following:
 - a. One or more of the review criteria and /or Ordinance performance standards are not applicable to the proposal due to the size of the project, circumstances of the site, design of the project, or unique features of the proposal.
 - b. The applicant has proposed an alternative design that meets or exceeds the requirements set forth in the performance standards.
2. The applicant shall submit information and materials that support the waiver request with the application.
3. The Planning Board may only consider a waiver request when the applicant has submitted a written waiver request in the application. The first item of the application review shall be a consideration of any waiver request. The Planning Board shall review the request and if it meets the criteria for a waiver, shall approve the request. If the Planning Board finds that the request does not meet the waiver criteria, the Board shall deny the request. The applicant shall amend the application as required if the waiver is not approved by the Board. The Planning Board may vote to suspend review of the application until such time that the applicant provides any information necessary as a result of not obtaining the waiver. In no case shall the Planning Board make a final decision upon the application until the applicant supplies any additional information to the satisfaction of the Board.

H. Subdivision Review Process:

1. All subdivision applicants shall be required to follow a three tier review process as follows:
 - Sketch Plan Review
 - Preliminary Plan Review
 - Final Plan Review

I. Revisions to Approved Plans

1. An application for a revision to a previously approved plan shall be submitted to the Planning Board at least 7 days prior to a scheduled meeting of the Planning Board. If the revision involves a modification to a condition imposed by the Planning Board; the addition of additional units; the addition of new lots; or an expansion of the subdivision, then the procedure for a new application shall be followed. For lesser modifications, the Planning Board may consider the request at the meeting.
2. The Planning Board's scope of review shall be limited to those portions of the plan which are proposed to be revised or that are adversely impacted by the proposed revision.
3. The applicant shall submit a copy of the approved plans and 7 copies of the revised portions of the plans. The application shall include enough supporting data to allow the Planning Board to make a decision that the proposed revision meets the review criteria.
4. The Planning Board shall vote to approve the revision, deny the revision or approve the revision with conditions. The Planning Board may vote to require that additional information be submitted in order to ensure that the review criteria are met.
5. After approval of a plan for subdivision by the Planning Board, any additional division of land by the sub-divider contiguous to that plan, or any additional division or divisions of any lot or lots created in that plan by whomever accomplished, shall be classified as a subdivision and shall be subject to the full requirements of these regulations.

J. As Built-Plans:

Upon Completion of all the public improvements contained in the subdivision, the applicant shall submit a copy of as-built plans to the Planning Board.

K. Appeals:

1. Variance Appeals

Variances may be permitted only under the following conditions:

- a. Variances may be granted only from dimensional requirements.
- b. The Board of Appeals shall not grant a variance unless it finds that the strict application of the terms of this Ordinance would result in undue hardship.

The term "undue hardship" shall mean:

- (i) That the land in question cannot yield a reasonable return unless a variance is granted;
- (ii) That the need for a variance is due to the unique circumstances of the property and not to the general conditions in the neighborhood;
- (iii) That the granting of a variance will not alter the essential character of the locality; and
- (iv) That the hardship is not the result of action taken by the applicant or a prior owner.

2. Appeal Procedure

Making an Appeal

- a. An administrative or variance appeal may be taken to the Board of Appeals by an aggrieved party from any decision of the Code Enforcement Officer or the Planning Board. Such appeal shall be taken within thirty (30) days of the date of the decision appealed from, and not otherwise, except that the Board of Appeals, upon a showing of good cause, may waive the thirty (30) day requirement.
- b. Such appeal shall be made by filing with the Board of Appeals a written notice of appeal which includes:
 - (i) A concise written statement indicating what relief is requested and why it should be granted.
 - (ii) A sketch, drawn to scale, showing lot lines, location of any existing structures, and other physical features of the property pertinent to the relief sought.
- c. Upon being notified of an appeal, the Code Enforcement Officer or Planning Board, as appropriate, shall transmit to the Board of Appeals all of the papers constituting the record of the decision being appealed.
- d. The Board of Appeals shall hold a public hearing on the appeal within thirty-five (35) days of its receipt of an appeal request.

3. Decision by Board of Appeals

- a. A majority of the Board shall constitute a quorum for the purpose of deciding an appeal. A member who abstains shall not be counted in determining whether a quorum exists.
- b. The concurring vote of a majority of the members of the Board of Appeals present and voting shall be necessary to reverse an order, requirement, decision, or determination of the Code Enforcement Officer or Planning Board, or to decide in favor of the applicant on any matter on which it is required to decide under this Ordinance, or to affect any variation in the application of these Regulations from its stated terms. The Board of Appeals may reverse the decision, or failure to act, of the Code Enforcement Officer or Planning Board only upon a finding that the decision, or failure to act, was clearly contrary to specific provisions of these Regulations.
- c. The person filing the appeal shall have the burden of proof.
- d. The Board of Appeals shall decide all appeals within thirty five (35) days after the close of the hearing, and shall issue a written decision on all appeals.
- e. All decisions shall become a part of the record and shall include a statement of findings and conclusions as well as the reasons or basis therefore, and the appropriate order, relief or denial thereof.

4. Appeal to Superior Court

Any aggrieved party who participated as a party during the proceedings before the Board of Appeals may take an appeal to Superior Court in accordance with State laws within thirty (30) days from the date of any decision of the Board of Appeals.

L. Public Hearing Requirements:

1. The Planning Board shall hold a public hearing on all preliminary plan applications. The Planning Board may vote to hold a public hearing on a final application.
2. The public hearing notice shall be made as follows:
 - a. The Planning Board shall hold a public hearing within 30 days after determining that the application is complete. A notice of the date, time and place of the public hearing shall be:
 - (1) Published, at least two times, in a newspaper having general circulation in the municipality. The date of the first publication shall be at least 7 days before the hearing.
 - (2) Mailed by first class mail to the applicant, at least 7 days prior to the public hearing.
 - (3) Mailed by first class mail to all property abutters, at least 7 days prior to the public hearing. The Planning Board shall maintain a list of all property abutters and record the date the notice was mailed. Failure of an abutter to receive a notice shall not invalidate the public hearing, nor shall it require the Board to schedule a new public hearing.
3. The Planning Board may vote to continue the public hearing in order to receive additional public comment or information concerning the application. The Board is not required to meet the notice requirements listed above for the continued public hearing.

M. Joint Meetings:

If any portion of a proposed subdivision crosses municipal boundaries, the Planning Board shall follow the notice, meeting, and review requirements specified in Title 30-A, M.R.S.A., Sections 4401- 4407.

N. Performance Guarantee:

1. A performance guarantee shall be required for all public improvements proposed for the subdivision. The applicant shall submit a proposal for the performance guarantee at the time of submission of the Final Plan.
2. The performance guarantee may include one of the following:
 - a. Funds, in an amount equal to the expense of installing the public improvements, to be deposited in the applicant's escrow account.
 - b. A performance bond, in an amount equal to the expense of installing the public improvements, issued by a surety company.
 - c. A written conditional agreement with the Town, whereby no lot in the subdivision may be sold and no building permit issued until the applicant installs all public improvements.
3. The Planning Board, prior to approval of the final plan, shall consult with the Selectmen on the terms proposed by the applicant for the performance guarantee. The Selectmen may recommend that the terms of the performance guarantees be amended or revised. The Planning Board shall consider the recommendation of the Selectmen and decide on the contents of the performance guarantee.
4. Prior to the release of the performance guarantee, the Planning Board shall determine that the proposed improvements meet or exceed the design and construction requirements specified in these Regulations and the subdivision plans. The Planning Board shall base its decision upon the inspection reports filed by the Code Enforcement Officer, other Municipal Officials or other designated inspector.

5. If, the Planning Board, Code Enforcement Officer, or other designated inspection official finds that any of the public improvements have not been constructed in accordance with the plans and specifications filed as part of the application, they shall report this condition to the Selectmen. The Selectmen shall take any steps necessary to preserve the Town's rights.

O. Inspection Requirements:

1. The Code Enforcement Officer shall be responsible for conducting and/or coordinating all inspections with other municipal officials. The following municipal officials shall perform the following inspections:
 - a. The Road Commissioner shall inspect all roads including roads to be considered for public acceptance and private roads and associated drainage systems.
(All roads proposed for public acceptance shall also be inspected by a professional engineer as per the road performance standards contained in these Regulations)
 - b. The Local Plumber Inspector shall inspect the installation of all subsurface waste water treatment systems.
 - c. The Code Enforcement Officer shall inspect all erosion control measures, stormwater management features, and all other site features.
2. The applicant shall be responsible for scheduling all inspections with the Code Enforcement Officer . The Code Enforcement Officer and all other inspection officials shall keep a record of all inspections and all deficiencies. It shall be the responsibility of the Code Enforcement Officer to notify the applicant in writing that a deficiency exist and the steps necessary to remedy the situation. The Code Enforcement Officer shall notify the Planning Board and the Selectmen whenever the applicant fails to remedy a deficiency. Upon completion of the subdivision and/or consideration of release of the performance guarantee, all inspection reports shall be made available to the Planning Board and the Selectmen.

Section 5 Sketch Plan Review

A. Purpose:

The purpose of the sketch plan submittal is for the applicant to present general information regarding the proposed subdivision to the Planning Board and to receive the Planning Board's comments prior to the expenditure of substantial sums of money for developing the subdivision plan.

B. Procedure:

1. The applicant shall submit a complete sketch plan application to the Planning Board at least 7 days before a scheduled meeting of the Planning Board.
2. The applicant shall present the sketch plan application to the Planning Board and make a verbal presentation regarding the site and the proposed subdivision.
3. Following the applicant's presentation, the Planning Board may ask questions of the applicant regarding the application.

C. Submissions:

1. The sketch plan shall show in simple sketch form the proposed layout of roads, lots, buildings, and other features in relation to existing site conditions. The sketch plan does not have to be an engineered plan and may be a free-handed penciled sketch.
2. The sketch plan shall be submitted on the application forms provided by the Planning Board and include the following:
 - a. A copy of the Tax Assessors map of the site and surrounding area.
 - b. A copy of the U.S.G.S. - 7.5min. topographic map of the area showing the outline of the proposed subdivision.
 - c. A copy of the County Soil Survey showing the area of the proposed subdivision.

Section 6 Preliminary Plan Review

A. Procedure:

1. The applicant shall, at least 7 days prior to a scheduled meeting of the Planning Board, submit a complete preliminary plan application to the Town Office, Town Clerk, and/or the Planning Board Secretary. The applicant shall be issued a dated receipt and the preliminary plan application shall be placed on the Planning Board's agenda in order to review for a complete application.
2. The application shall consist of 3 complete copies including all maps and related attachments. The Planning Board shall receive 2 copies and one shall be placed in the Town Office for public review.
3. Within 3 days of the Planning Board's receipt of the preliminary plan, the applicant shall notify by certified mail return receipt required all abutters to the proposed subdivision that an application for a subdivision has been submitted to the Planning Board, specifying the location of the proposed subdivision and including a general description of the project. The notice shall also indicate that a copy of the application is available for public review at the Town Office. The Planning Board shall maintain a list of all abutters notified by certified mail return receipt required, specifying the date the notice was mailed along with certification numbers.
4. Within 30 days of the receipt of the preliminary plan application, the Planning Board shall determine whether the application is complete and notify the applicant in writing of its determination. If the application is not complete, the board shall notify the applicant of the specific material needed to complete the application.
5. The Planning Board shall hold a public hearing within 30 days of determining that it has received a complete application.
6. Within 30 days of the public hearing, or within another time period as may be mutually agreed to by the Board and the applicant, the Planning Board shall make a decision on the application.
7. Upon approval of the preliminary plan, the applicant is eligible to submit a final plan to the Planning Board for consideration. The approval of the preliminary plan shall not constitute approval of the final plan or intent to approve the final plan, but rather it shall be deemed an expression of approval of the design of the preliminary plan as a guide to preparation of the final plan. The final plan shall be submitted for consideration upon fulfillment of the requirements of these Regulations and conditions of preliminary approval, if any.

B. Preliminary Plan Submissions:

1. The applicant is responsible for supplying all the necessary information to show that the proposed subdivision is in compliance with the review criteria, and requirements and performance standards contained in these Regulations. The preliminary plan submissions shall consist of the following:
 - a. A receipt from the Town indicating that the application fee has been paid.
 - b. A preliminary plan application form and all required attachments and maps.
 - c. Waiver request form, if applicable.
 - d. A location map, drawn at an appropriate scale to show the relationship of the proposed subdivision to adjacent properties.

The map shall show the following:

 - (1) Existing subdivisions in the proximity of the proposed subdivision.
 - (2) Locations and names of existing and proposed roads.
 - (3) Boundaries and designations of all shoreland zoning and other land use districts.
 - (4) An outline of the proposed subdivision and any remaining portion of the owner's property if not included in the subdivision proposal.
 - e. The following general information:

- (1) Name and address of the applicant and applicant's agent.
 - (2) Verification of right, title or interest in the property.
 - (3) A copy of the most recently recorded deed for the parcel.
 - (4) A copy of all existing and proposed, deed restrictions, rights-of-way, or other encumbrances affecting the property.
 - (5) The book and page and Map and lot information of the property.
 - (6) The names of all property owners abutting the property.
 - (7) Acreage of the proposed subdivision and acreage of any land not included in the subdivision.
- f. A subdivision plan consisting of one or more maps drawn to a scale of not more than 100 feet to the inch. The plan shall show the following:
- (1) Name of the subdivision.
 - (2) Number of lots.
 - (3) Date, north point, graphic scale.
 - (4) Proposed lot lines with dimensions.
 - (5) A survey of the perimeter of the tract, giving complete descriptive data by bearing and distances, made and certified by a Registered Land Surveyor. The corner of the tract shall be located on the ground and marked by permanent markers. The plan shall indicate the type of permanent marker proposed to be set or found at each lot corner.
 - (6) Contour intervals.
 - (7) The location of all wetlands regardless of size.
 - (8) The location of all rivers, streams, brooks and ponds within or adjacent to the subdivision.
 - (9) The location of all slopes in excess of 20% slope.
 - (10) The number of acres within the subdivision, location of property lines, existing buildings, vegetative cover type, and other essential existing features.
 - (11) The location of any significant sand and gravel aquifers,
 - (12) The boundaries of any flood hazard areas and the 100-year flood elevation as depicted on the Town's most recent FIRM Map.
 - (13) The boundaries of all shoreland zoning districts.
 - (14) The location and boundaries of any significant wildlife habitat as identified by the Department of Inland Fisheries and Wildlife.
 - (15) The location of any site or structure listed on the National Register of Historic Places or any archeological site identified by the State Historic Preservation Commission.
 - (16) The location of all scenic areas and rare and endangered plants as identified in the Town's Comprehensive Plan.
 - (17) The location of all subsurface wastewater disposal system test pits and test data and appropriate documentation.
 - (18) The location of all existing and proposed wells and appropriate documentation.
 - (19) All erosion control features proposed for the site.
 - (20) All stormwater control features proposed for the site.
 - (21) All parcels of land proposed to be owned or held in common or joint ownership by the subdivision or individual lot owners. All land proposed to be offered for public acceptance to the Town.
 - (22) Phosphorus control measures, if the subdivision is located within the direct watershed of a great pond.
 - (23) Road plans and specifications and appropriate documentation.
 - (24) Traffic access data for the site including an estimate of the amount of vehicular traffic to be generated on a daily basis.
 - (25) The type and location of any proposed fire control features, and appropriate documentation.
- g. A statement indicating how the solid waste from the subdivision will be handled.
- h. Documentation indicating that the applicant has the financial and technical capacity to meet the requirements of these Regulations.
- i. Any other data necessary in order to meet the requirements of these Regulations.

Section 7 Final Plan Review

A. Procedure:

1. The applicant shall, at least 7 days prior to a scheduled meeting of the Planning Board, submit a complete final plan application to the Town Clerk and/or Planning Board Secretary. The applicant shall be issued a dated receipt and the final plan application shall be placed on the Planning Board's agenda in order to review for a complete application.
2. The application shall consist of 2 stable-based transparencies and 3 paper copies. The Planning Board shall receive 2 original transparencies, and two paper copies. One paper copy shall be placed in the Town Office for Public review.
3. Within 30 days of the receipt of the final plan application, the Planning Board shall determine whether the application is complete and notify the applicant in writing of its determination. If the application is not complete, the board shall notify the applicant of the specific material needed to complete the application.
4. The Planning Board may decide to hold a public hearing on the proposed final plan. The Planning Board shall schedule a public hearing or a meeting to review the final plan within 30 days of determining that it has received a complete application.
5. Within 30 days of the public hearing or meeting, or within another time period as may be mutually agreed to by the Board and the applicant, the Planning Board shall make a decision on the application.
6. Upon voting to approve the final plan, the Planning Board shall sign the 2 stable-based transparencies. The Planning Board shall retain one copy and the other shall be provided to the applicant. The applicant shall file the approved final subdivision plan with the Register of Deeds, within 90 days of the date upon which the plan is approved. Failure to file the plan with the Register of Deeds, within 90 days, shall make the plan null and void. Final Plans not filed in the appropriate time period shall be re-submitted to the Board according to the requirements of Section 7 of these Regulations.

B. Final Plan Submissions:

1. The applicant is responsible for supplying all the necessary information to show that the proposed subdivision is in compliance with the review criteria and requirements and performance standards contained in these Regulations.

The final plan submissions shall consist of the following:

- a. A receipt from the Town indicating that the application has been paid.
- b. A final plan application form and all required attachments and maps.
- c. All the submission materials required for a preliminary plan.
- d. All conditions and modifications approved by the Planning Board for the preliminary plan shall be contained on the final plan.
- e. All waivers approved by the Planning Board shall be shown on the final plan.
- f. All additional studies and/or materials required by the Planning Board, as applicable.
- g. A signature block shall be provided on the final plan.
- h. A performance guarantee, if applicable.
- i. The location and type of all permanent markers set at all lot corners.
- j. Written copies of any documents of land dedication, and written evidence that the Board of Selectmen are satisfied with the legal sufficiency of any documents accomplishing such land dedication.
- k. Any conditions placed on the final plan by the Planning Board shall be clearly listed on the plan. Planning Board imposed conditions shall be listed separately from any conditions or restrictions placed on the subdivision by the applicant.

Section 8 Performance Standards

A. The performance standards contained in this section shall apply to all subdivision proposals in the Town of St. Albans.

B. General Lot Requirements:

1. The following general lot requirements shall be considered as minimum standards and shall not be eligible for a waiver.

a. All lots shall meet the following dimensional standards:

Minimum Lot Size	2 acres
Minimum Road Frontage	200 feet
Minimum Lot Depth to Width Ratio	2 : 1
Side Property Line Setback	15 feet
Rear Property Line Setback	15 feet
Front Setback (measured from the road center-line)	75 feet
Multi-Family Density Standards	2 acre plus 20,000 Square Feet for each dwelling unit.

b. Land located in the following areas shall not be used to calculate the required minimum lot size: wetlands; rivers; streams; brooks; stormwater drainage features; resource protection areas as defined in the Town's Shoreland Zoning Ordinance; slopes in excess of 25%; areas within the floodway as defined in the Town's Floodplain Management Ordinance; and, areas within public and private rights-of way.

C. Monuments:

No person may sell or convey any land in an approved subdivision unless :

1. At least one permanent marker is set at one corner of the lot sold or conveyed. The term "permanent marker" shall mean : a.) a granite monument, or, b.) a concrete monument

2. All other subdivision boundary corners and angle points as well as lot boundary corners and angle points shall be marked by suitable Monumentation as required by the Maine Board of Registration of Land Surveyors.

D. Water Supply:

1. Individual wells shall be sited and constructed to prevent infiltration of surface water, and contamination from subsurface wastewater disposal systems and other sources of pollution. The lot design shall permit the placement of wells, subsurface wastewater disposal systems and reserve areas in compliance with the Maine Subsurface Wastewater Disposal Rules and the Well Drillers and Pump Installers Rules.

2. The water supply for the subdivision and each lot shall be adequate to supply all the potable and other water requirements of the development. The applicant shall submit documentation from a Hydrologist or a Well Driller familiar with the area, stating that adequate water is available to supply the subdivision.

E. Fire Protection:

1. The subdivision shall be designed so that the Town of St. Albans Fire Department shall have unrestricted access to all developed areas within the subdivision and adequate provisions are made for a supply of water for fire suppression. The applicant shall review the proposed subdivision with the Fire Chief and shall obtain a written statement from the Fire Chief approving the plans fire protection measures. This statement shall be submitted with the preliminary plan application.

2. The Fire Chief in making his/her determination that adequate provisions are made for fire protection shall consider the following:
 - a. The road is adequate for the passage of fire equipment.
 - b. An adequate water supply is available near or within the subdivision to serve the density of the development.

The Fire Chief shall approve the fire protection measures proposed for the subdivision or shall make specific recommendations to improve the fire protection measures. In making recommendations the Fire Chief may recommend that the Planning Board require the installation of fire ponds or other similar features

F. Subsurface Wastewater Disposal Systems:

1. As proof that each lot in the proposed subdivision will sustain its own separate subsurface wastewater disposal system the applicant shall submit evidence of site suitability for a subsurface wastewater disposal system in compliance with the Subsurface Wastewater Disposal Rules of the State of Maine, prepared by a State Licensed Site Evaluator. Common or shared subsurface wastewater disposal systems shall not be allowed. All test pit locations shall be shown on the subdivision plan and be accompanied by a HHE-200 Form or other format which shows the appropriate soils data.
2. The applicant shall submit the test pit data to the Town of St. Albans LPI for review. The LPI shall review the data for conformance with State Law and these Regulations and issue the applicant a written statement. The LPI shall state whether that the data submitted is sufficient to make a reasonable determination that the soils will accommodate a subsurface system or indicate if additional data or site analysis is needed. The applicant shall submit the LPI's statement with the preliminary plan application.

G. Erosion Control:

1. All activities which involve filing, grading, excavation or other similar activities which result in unstabilized soil conditions shall comply with the following:
 - a. The site shall be developed so as to prevent soil erosion from entering waterbodies, wetlands, stormwater drainage features, and adjacent land. All temporary and permanent erosion control measures shall be designed in accordance with the "Maine Erosion and Sedimentation Control handbook for Construction: Best Management Practices", published by the Cumberland County Soil and Water Conservation District and the Maine Department of Environment Protection, March 1991.
 - b. All temporary and permanent erosion features shall be shown on the subdivision plan.

H. Phosphorus Control:

1. The following standards for phosphorus shall apply to all subdivisions located in the direct watershed of the following waterbodies: Indian Pond, Little Indian Pond, Game Management Pond, Halfmoon Pond, Weymouth Pond, and Great Moose Lake.
2. A phosphorus control plan shall be developed in accordance with the design criteria contained in the "Phosphorus Control in Lake Watersheds: A Technical Guide for Evaluating New Development", published by the Maine Department of Environmental Protection, revised September, 1992.

I. Stormwater Control:

1. All construction and development shall be designed to minimize storm water runoff from the site. Where possible existing natural runoff control features shall be retained in order to reduce runoff and encourage infiltration. A storm water control plan shall be developed for the site according to the following standards:
 - a. A storm water control plan shall be developed to limit peak discharges from the site to predevelopment levels through a system of swales, culverts, and best management

practices equivalent to those described in the "Stormwater Management for Maine: Best Management Practices", published by the Maine Department of Environmental Protection, 1995.

- b. Peak discharges shall be limited to the predevelopment levels for the 2-year, 10-year and 25-year frequency, 24-hour duration storm.
- c. A storm water control plan that is developed according to the requirements of the Department of Environmental Protection Regulations, Chapter 500, Stormwater Management, and Chapter 502, Direct Watersheds of Waterbodies Most at Risk from New Development, shall be deemed to be a suitable equivalent to these standards.

J. Waterbody Protection:

1. The locations of all rivers, streams, brooks, and wetlands shall be identified on the subdivision plan. This shall include all perennial and intermittent streams and forested and non-forested wetlands.
2. Waterbodies shall not be developed or disturbed unless the applicant can provide evidence that no other alternative exist. Any development planned within 50 feet of the high-water line of any waterbody including wetlands shall require a plan which includes the following:
 - a. A description of the proposed development including the reasons why this is the only alternative.
 - b. Construction drawings of the disturbance area showing all structures, fill areas, vegetative disturbance, and erosion control measures.
 - c. A list of state and federal permits required, if applicable.

K. Ground Water:

1. Any development proposed within a Sand and Gravel Aquifer as identified in the Town's Comprehensive Plan, shall be designed and constructed so as not to cause any pollution or contamination of the aquifer.
2. The Planning Board may require the applicant to provide a plan developed by a hydrologist which shows that the proposed development will not have an adverse impact upon the aquifer. The Planning Board, in making the determination that a plan be required, shall consider the density of the development, and existing conditions or problems within the area .

L. Historic, Archeological, Wildlife Habitat, Scenic Areas, and Rare and Natural Areas:

1. The subdivision plan shall show the locations of any historic and archeological sites, wildlife habitat, scenic areas and rare and natural areas. If any of these areas are located on the site, a protection plan shall be developed in accordance with the following:
 - a. If any portion of the site is designated as a significant archeological or historic site by the Maine Historic Commission, Comprehensive Plan, or listed on the National Register of Historic Places, the applicant shall develop appropriate measures for the protection of these resources according to local, state and federal regulations.
 - b. If any portion of the site is located within an area designated as a scenic area or a unique natural area by the Maine Natural Areas program of the Comprehensive Plan, the applicant shall develop appropriate measures for the preservation of the values which qualify the site for such designation.
 - c. If any portion of the site is within a wildlife habitat area, the applicant shall consult with the Maine Department of Inland Fisheries and Wildlife or a qualified wildlife biologist

and develop measures to protect these areas from environmental damage and habitat loss.

Wildlife habitat areas shall include the following:

- (1) habitat or endangered species appearing on the official state or federal list of endangered or threatened species.
- (2) High or moderate value waterfowl and wading bird habitats as defined by the Maine Department of Inland Fisheries and Wildlife.
- (3) Deer wintering areas as identified by the Maine Department of Inland Fisheries and Wildlife.

M. Financial and Technical Capacity:

1. The applicant shall submit evidence that he/she has adequate financial and technical capacity to design and construct the development in accordance with all applicable local, state and federal laws and regulations. Evidence of adequate financial and technical capacity shall consist of the following:

- a. A list of all technical and professional staff involved with the proposal and preparation of the application including their qualifications and past experience with projects of similar size and scale.
- b. A list of all persons with inspection and oversight responsibilities for the development and if available, the persons selected to construct the project, including their qualifications and past experience with projects of similar size and scale.
- c. A letter from a financial institution such as a bank or other lending institution that states that the applicant has the necessary funds available or a loan commitment from this institution to complete the proposed development within the time period specified by the applicant.

N. Conformity With All Other Applicable Local Ordinances:

1. The applicant shall show that the subdivision meets all other applicable local ordinances including Shoreland Zoning and Floodplain Management.

O. Road and Traffic Access Standards:

1. The purpose of the road and traffic access standards are to:
 - a. To establish minimum specifications for all public and private roads.
 - b. To establish procedures and standards for the acceptance of a public road.
 - c. To establish a review and inspection procedure for public and private roads.
 - d. To establish design and construction standards for safe traffic access.
 - e. To establish minimum standards for traffic safety and the carrying capacity of roads.
 - f. To establish standards for roadway drainage systems.
 - g. To establish standards for road durability and a reasonable service life.
2. General Requirements
 - a. Access to a maximum of 2 dwelling units may be provided by a driveway meeting the following requirements:
 - (1) The driveway shall serve not more than 2 dwelling units.
 - (2) The driveway shall have a minimum travel way of 12 feet.
 - (3) A turn-around area shall be provided for every portion of the driveway in excess of 800 feet.
 - (4) The driveway shall provide the necessary road frontage requirement for the dwelling units served by the driveway, as specified in Section 8.B.1. of these Regulations.

(5) The driveway shall be considered a private way and shall not be considered for public acceptance.

- b. A road meeting one of the road categories shall be constructed to access 3 or more dwelling units.
- c. All roads shall be considered as public improvements and shall require a performance guarantee as per the requirements of Section 4.N of these Regulations.
- d. All roads shall be constructed according to the standards and requirements listed in this section.
- e. A dead-end road, defined as having only one access to an existing public road, shall not serve more than 20 dwelling units. A road shall have at least two access points to an existing public road in order to serve more than 20 dwelling units.
- f. Cul-de-sac and dead-end streets shall have a minimum turning radius of 35 feet. Use of a T-shaped turnaround will be permitted as an alternative, in which case the turnaround shall be at least 24 feet wide, 40 feet long, and shall be located between 50 and 100 feet from the end of the street. Dimensions are for the traveled way.
- g. To be eligible for public acceptance all roads shall have a bituminous pavement surface. Roads proposed for public acceptance shall also meet the inspection requirements of this section.

3. Road Drainage Requirements

- a. All roads shall have adequate drainage structures which shall be designed in accordance with the stormwater management plan as specified in sub-section I Stormwater Control of this Section.

4. Road Access Standards

- a. A privately owned road used to provide access to the proposed development shall meet the road standards as required by these Regulations. All necessary improvements shall be made at the expense of the subdivider.
- b. Roads that access onto a State Road shall comply with all applicable Maine Department of Transportation (MDOT) design requirements. The applicant shall submit a letter or other documentation to the planning Board that the MDOT has approved the road access design.
- c. The road access shall be located and designed in profile and grading to provide the required sight distance measured in each direction. Sight distance shall be measured from the driver's seat of a vehicle standing on that portion of the exit with the front of the vehicle a minimum of 10 feet behind the curbline or edge of the shoulder, with the height of the eye 3 ½ feet, to the top of an object 4 ½ feet above the pavement. A minimum sight distance of 10 feet for each mile per hour of posted speed limit shall be provided.
- d. The road access shall be flat enough to prevent the dragging of any vehicle undercarriage. Accesses shall slope upward or downward from the gutter line on a straight slope of 3% or less for at least 75 feet. The maximum grade over the entire length shall not exceed 10%.
- e. Accesses shall be either one-way or two-way operation and shall intersect the road at an angle as nearly 90 degrees as site conditions permit, but in no case less than 60 degrees.

- f. The curb radii will vary depending if the access has a one-way or two-way operation. On a two-way access the curb radii shall be between 25 feet and 40 feet, with the preferred radius of 30 feet. On one-way access, the curb radii shall be 30 feet for right turns into and out of the site, with a 5 foot radius on the opposite curb.
- g. On a two-way access the width shall be 26 feet. On a one-way access the width shall be 16 feet.
- h. On a two-way access the curb-cut width shall be a minimum of 86 feet. On a one-way access the curb-cut width shall be a minimum of 51 feet.
- i. Appropriate traffic control signage and road name signage shall be erected at the intersection of the access and the street, as determined by the Road Commissioner.
- j. Corner clearance shall be measured from the point of tangency for the corner to the point of tangency for the access. The maximum corner clearance, based upon site conditions should be provided. The minimum corner clearance shall be 50 feet.
- k. All roads with access onto an existing paved state or local road shall be paved with bituminous pavement a minimum distance of 75 feet as measured from the edge of the existing road onto the proposed road.

5. Road Design Standards

- a. The road design standards for each road are listed in Appendix A. These standards shall be considered as minimum requirements.
- b. The applicant shall submit detailed construction drawings showing a plan view, profile, and typical cross-section of the proposed road. The plan shall be at a scale of one inch equals no more than 50 feet. The vertical scale shall be one inch equals no more than 5 feet. The plan shall include the following information:
 - (1) Date, scale and north point.
 - (2) Intersections of the proposed road with existing roads.
 - (3) Roadway and right-of-way limits, including edge of pavement and edge of shoulder.
 - (4) Kind, size, location, material, profile and cross section of all existing and proposed drainage structures and their location with respect to the existing natural waterways and proposed drainage ways.
 - (5) Complete curve data shall be indicated for all horizontal and vertical curves.
 - (6) Turning radii at all intersections.
 - (7) Centerline gradients.
 - (8) Size, type and locations of all existing and proposed utilities.
- c. Before any clearing is started in the right-of-way, the centerlines and sidelines of the road shall be flagged or staked at 50 foot intervals. The entire travel way including shoulders shall be cleared of all stumps, roots, brush and other unsuitable materials. All organic and unsuitable materials shall be removed from the road sub-grade. All rocks and boulders visible at the subgrade and exceeding 6 inches in size shall be removed. Except in a ledge cut all side slopes shall be no greater than a slope of three feet horizontal to one foot vertical, and shall be graded, loamed and seeded.

6. Inspection Requirements for Roads Proposed for Public Acceptance

- a. In addition to the inspection requirements listed in Section 4, sub-section O, of these Regulations, all roads proposed to be considered for public acceptance shall meet the following inspection requirements:
 - (1) The applicant shall at his/her expense hire a Professional Engineer licensed in the State of Maine to inspect the roadway construction. The engineer shall inspect the roadway during construction and certify in writing that the road was installed according to the subdivision plans and the requirements of these Regulations.
 - (2) The applicant shall submit to the Selectmen and the Planning Board, the engineer's report certifying that the road meets or exceeds the subdivision plan and Ordinance requirements.
 - (3) Upon receipt of the engineer's certification and the inspection report from the Code Enforcement Officer and the Road Commissioner, the Selectmen may consider presenting to the Town meeting a warrant for public acceptance of the road.

P. Rural Design and Landscape Standards

1. Each subdivision proposal shall include a landscape plan which shows how the lots, building sites, structures and roads preserve the existing rural character of the community. The *landscape* plan shall incorporate the following standards into the overall development of the subdivision:
 - a. Building sites shall be oriented with respect to scenic vistas, natural landscape features, topography, and natural drainage areas.
 - b. Road and lot layout shall be adapted to the existing topography.
 - c. Existing trails shall be preserved.
 - d. Enough vegetation along front, side and rear lot property lines shall be incorporated into the landscape plan to prevent erosion.
 - e. Lots shall be designed so as to enhance the privacy and rural atmosphere of the development.
 - f. Trees located along the roads shall be preserved to the greatest extent practicable in order to maintain a rural roadscape.
 - g. Existing vegetation along all lakes, streams, pond, and wetlands shall be preserved in accordance with the requirements of the Town of St. Albans Shoreland Zoning Ordinance.
 - h. Prime farmland soils as identified in the comprehensive plan are preserved to the greatest extent possible.

SECTION 9. ENFORCEMENT

- A. It shall be the responsibility of the Code Enforcement Officer to enforce the provisions of these Regulations.
- B. No plan of a division of land within the Town which would constitute a subdivision shall be recorded in the Registry of Deeds until a final plan has been approved by the Planning Board in accordance with these Regulations.
- C. A person shall not convey or offer to convey any land in a subdivision which has not been approved by the Planning Board and recorded in the Registry of Deeds.
- D. A person shall not sell, lease, offer or otherwise convey any land in an approved subdivision which is not shown on the plan as a separate lot.
- E. No public utility, water district, sanitary district, or any utility company of any kind shall serve any lot in a subdivision for which a final plan has not been approved by the Planning Board.
- F. Development of a subdivision without Planning Board approval shall be a violation of law. Development includes grading or construction of roads, grading of land or lots, or construction of buildings, which require a plan approved as provided in these Regulations and recorded in the Registry of Deeds.
- G. No lot in a subdivision may be sold, leased or otherwise conveyed before the road upon which the lot fronts is completed in accordance with these Regulations up to and including the entire frontage of the lot.
- H. Violations of the above provisions of this section are a nuisance and shall be punishable in accordance with the provisions of Title 30-A, M.R.S.A., Section 4452.

Appendix A

1 1

Road Construction Standards

	Collector Road	Local Road	Rural Road
Right of way width	60 ft.	50 ft.	50 ft.
Travel way width	22 ft.	20 ft.	20 ft.
Shoulder width	4 ft.	3 ft.	3 ft.
Minimum grade	0.50%	0.50%	0.50%
Maximum grade	5%	8%	10%
Minimum centerline radius w/o superelevation	280 Ft.	280 Ft.	175 Ft.
Minimum centerline radius with superelevation	175 ft.	175 ft.	110 ft.
Roadway crown	1/4 ft.	1/4 ft.	1/4 ft.
Minimum angle of road intersection	90 degree	60 degree	60 degree
Maximum grade within 75 ft. of intersection	3%	3%	3%
Culverts	minimum 18 inch dia.	minimum 15 inch dia.	minimum 15 inch dia.
Minimum fill slope	3/1	3/1	3/1
Shoulder grade	1/4 ft.	1/4 ft.	1/4 ft.
Bottom of all ditches	32 in. below centerline	32 in. below centerline	32 in. below centerline

Table 2

Road Construction Materials - Minimum Requirements

	Collector Road	Local Road	Rural Road
Aggregate Base - Total Inches	24 inches	18 inches	15 inches
Sub-base course	18 inches	15 inches	15 inches
Base course	6 inches	3 inches	3 inches
Surface course of a gravel road	4 inches	3 inches	3 inches
Surface course for a			
Bituminous Pavement - Total Inches	3 inches	3 inches	3 inches
Sub-base course	1 3/4	1 3/4	1 3/4
Base course	1 1/4	1 1/4	1 1/4